Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

					2
		-7			
			4.		
	,				
3	*				
					7
		•			
1.3					
3					
	-425			Late Street Services	
	•				
		-			

DIBRA

SEEDS

AN AN AN AN AN

for the

NURSERYMAN

AND

FORESTER

Seeds of:

Part I Fruit Stocks

Part II Conifers

Part III Deciduous Trees and Shrubs

Part IV Hardy Perennials

1939-1940

F. W. SCHUMACHER

Horticulturist

JAMAICA PLAIN - BOSTON, MASS.

TERMS

Deliveries are subject to yield of crops and safe arrival of our consignments and prices subject to change.

While we endeavor to carry ample stock, it is nevertheless impossible to have all seeds listed available at all times. Certain items cannot be stored successfully and are available in season only. Please bear this in mind when you place an order with us.

All seeds and plants are sold without warranty, expressed or implied as to description and productiveness. Seeds should be carefully inspected upon arrival and claims for conditions made at once. We cannot consider claims after seeds have been stored or planted.

All shipments travel at buyer's risk and claims for damages in transit must be taken up with the transportation companies.

Remittances made should include a fair amount for packing and postage, if shipment by mail is requested. Bags are being charged at cost price.

PACKETS—We shall be glad to supply packets of all items listed, if possible, and will charge 15c per packet unless listed otherwise.

TERMS-5% Discount for cash with order; for customers of approved credit, 10 days 2%; 30 days net.

SEND IN YOUR ORDER EARLY

Order from this catalogue until you receive a new issue. We shall extend the benefit of lower seasonable prices whenever it is possible to do so.

Copies are gladly mailed upon request.

NATIVE AMERICAN SEEDS WANTED
We buy and exchange seeds

F. W. SCHUMACHER

579 Centre Street

P. O. Box 131

JAMAICA PLAIN, BOSTON, MASS.

Telephone ENDicott 1850

Cable Address, Treeseeds Boston

FRUIT STOCKS

(Quantity prices upon request) PPLE, The wood of the Woodapple (Malus sylvestris) being of ironlike hardness makes prohibitive its use as stock for domestic apple varieties. The French Cider Crab, a hybrid race between the Woodapple and	⅓ lb.	1 lb.	10 lbs.
hardness makes prohibitive its use as stock for domestic apple varieties. The French Cider Crab, a hybrid race between the Woodapple and			
M.1. A1. /3/6-1			
our Table-Apple (Malus communis or pumila) combines the ruggedness of the former with the adaptability of the latter producing a wood which offers little resistance to the knife.			
French Cider Crab, the strain preferred for Apple stock	\$.30	\$.95	\$8.00
Domestic, seed from cultivated varieties	.35	1.00	9.00
Paradise, Dwarfing stock			
PRICOT, Common (armeniaca)	.25	.75	6.50
hardy Mandshurian (mandshurica)	.45	1.50	12.00
HERRY, Mahaleb	.25	.65	6.25
Mazzard. domestic.	.20	.55	5.00
Mazzard (sylvestris) the gum flux resistant silver bark strain	.35	1.25	11.00
EACH, Chinese, wild (Amygdalus davidiana) becoming recognized as valuable understock for Peach.			
Seed from Mongolia	.50	1.50	
Seed from Japan	.30	1.00	9.00
EACH (persica) Domestic, small naturals		.15	1.25
EAR (communis) French seed	.80	2.85	
Chinese Callery (calleriana)	1.35	4.50	40.00
Late Japanese (serotina)	.60	2.00	18.00
Ussurian (ussuriensis)	.90	3.00	27.50
LUM, American (americana)	.15	.80	7.50
Damas (domestica var.)	.30	1.00	8.15
French (domestica var.) Reine Claude, most delicious table Plum	.25	.75	6.00
German Prune (domestica var.)	.25	.75	6.00
Mirabelle (domestica var.) small ball shaped yellow fruited Plum, delicious			
cannery variety	.25	.75	6.00
Myrobolan (cerasifera)	.20	.60	5.75
St. Julien (domestica var.)	.20	.75	6.50
For nut seeds consult Part III under Castanea, Corylus, Hicoria, Juglans.	.80	2.75	25.00

II CONIFERS

A-Conifers of Merit (Insufficiently known to the trade)

Packets—Packets of all items listed can be supplied at 15c. each unless priced otherwise.

	oz.	1/4 lb.	lb.	
LARIX europaea, European Larch, strain from Scotland or Western High Alps, resistant to the leaf shedding disease	\$.40	\$1.10	\$3.75	
PICEA hursti, new and rare American Spruce from N. W. Ontario and British Columbia apparently intermediate between Picea canadensis and Picea pungens. In habit similar to the former and often found in specimens equaling in color a good silver foliaged Blue Spruce. 80 pkt.: .75 1/4 oz.	2.50			
PINUS montana uncinata, this is one of our most useful Pines for soil conservation and game cover. Thriving on any kind of soil, even on wet sides, it is invaluable for erosion control and protection against snow and stone slides. As substitute for the tender Pinus pinaster (maritima) it is much planted in northern Europe on dunes, where it ultimately forms impenetrable thickets. It also makes a good shelter plant in game and bird reservations	.25	.45	1.65	

PSEUDOTSUGA douglasi caesia, a strain from the Interior Northwest, intermediate between glauca and viridis. Originating in trypical bad land country with severe winters and extreme heat and drought in summer, this variety is as hardy as glauca. It is much faster growing, however, and has not the tendency to lose its lower branches at an early age. Foliage is of pleasant bluish-green color. A good forest tree to plant where the green form is not hardy and a fine ornamental in place of glauca.			• / •-	
intermediate between glauea and viridis. Originating in typical bad land country with severe winters and extreme heat and drought in summer, this variety is as hardy as glauea. It is much faster growing, however, and has not the tendency to lose its lower branches at an early age. Poliage is of pleasant bluish-green color. A good forest tree to plant where the green form is not hardy and a fine ornamental in place of glauea. TSUGA carollniana, Carolina Hemlock, the handsomest American Hemlock of dense bushy habit, hardy as far North as this and farther north if planted in wind-shelter. **B—General Listing of Conifers** ABIES amabilis. **B—General Listing of Conifers** **B-General Listing of Conifers** **B-Cental Citing of	DEFIDOTELICA Javalaci angia a strain from the Interior Marthurst	oz.	1/4 lb.	lb.
land country with severe winters and extreme heat and drought in summer, this variety is as hardy as glauce. It is much faster growing, however, and has not the tendency to lose its lower branches at an early age. Foliage is of pleasant bluish-green color. A good forest tree to plant where the green form is not hardy and a fine ornamental in place of glauca. TSUGA carolliniana, Carolina Hemlock, the handsomest American Hemlock of dense bushy habit, hardy as far North as this and farther north if planted in wind-shelter. Barolliniana				
summer, this variety is as hardy as glauca. It is much faster growing, however, and has not the tendency to lose its lower branches at an early age. Foliage is of pleasant bluish-green color. A good forest tree to plant where the green form is not hardy and a fine ornamental in place of glauca. TSUGA carolliniana, Carolina Hemlock, the handsomest American Hemlock of dense bushy habit, hardy as far North as this and farther north if planted in wind-shelter. **B—General Listing of Conifers** ABIES arnabilis. **B—General Listing of Conifers** **BEGENTAL ARNABILIS** ABIES arnabilis. **B—General Listing of Conifers** **B—General Listing of Conifers** **B—General Listing of Conifers** **BEGENTAL ARNABILIS** ABIES arnabilis. **B—General Listing of Conifers** **B—General Listing of Conifers** **B—General Listing of Conifers** **BEGENTAL ARNABILIS** **B—General Listing of Conifers** **BEGENTAL ARNABILIS** **B—General Listing of Conifers** **B—General Listing of Con				
however, and has not the tendency to lose its lower branches at an early age. Foliage is of pleasant bluish-green color. A good forest tree to plant where the green form is not hardy and a fine ornamental in place of glauca				
early age. Foliage is of pleasant bluish-green color. A good forest tree to plant where the green form is not hardy and a fine ornamental in place of glauca. TSUGA caroliniana, Carolina Hemlock, the handsomest American Hemlock of dense bushy habit, hardy as far North as this and farther north if planted in wind-shelter. S5 1.60 5.7 B—General Listing of Conifers ABIES amabilis. B—General Listing of Conifers ABIES amabilis. 30 65 2.2 cephalonica. 30 65 2.2 cephalonica. 30 65 2.2 cephalonica. 30 65 3.0 concolor, Colorado. 31 5 40 1.5 firma. 11 5 40 1.5 firma. 12 5 50 1.7 firma. 13 6 6 2.2 grandis. 30 75 2.5 holophylla. 30 75 2.5 holophylla. 30 75 2.5 nagnifica. 31 5 75 2.5 magnifica. 32 75 2.5 magnifica. 33 75 2.5 magnifica. 34 10 2.5 mobilis. 35 75 2.5 magnifica. 36 2.2 cephalonica. 37 75 2.5 magnifica. 38 75 2.5 magnifica. 39 65 2.2 cephalonica. 40 90 3.0 nobilis, from trees in cultivation. 55 1.35 4.5 nordmanniana. 30 65 2.2 cephalonica. 45 1.00 30 66 2.0 concolor, Colorado. 46 1.00 30 65 2.2 concolor, Colorado. 47 1.75 6.6 5.76 2.5 5.				
to plant where the green form is not hardy and a fine ornamental in place of glauca. TSUGA carolliniana, Carolina Hemlock, the handsomest American Hemlock of dense bushy habit, hardy as far North as this and farther north if planted in wind-shelter. B—General Listing of Conifers ABIES amabilis. B—General Listing of Conifers ABIES amabilis. arizonica. 70 1.75 6.6 balsamea. 30 65 2.2 cephalonica. 30 65 2.2 cilicica. 30 65 2.2 cilicica. 30 65 2.2 cilicica. 30 65 2.2 cilicica. 30 65 2.2 concolor, Colorado. 40 1.5 concolor lowiana. 50 1.45 4.7 50 5.7 50 5.7 60 5.7 60 5.7 60 5.7 60 5.7 60 5.7 60 5.7 60 5.7 60 5.7 60 5.7 61 60 5.7				
place of glauca TSUGA caroliniana, Carolina Hemlock, the handsomest American Hemlock of dense bushy habit, hardy as far North as this and farther north if planted in wind-shelter B—General Listing of Conifers ABIES amabilis B—General Listing of Conifers ABIES amabilis and base in conifers and base and ba				
TSUCA caroliniana, Carolina Hemlock, of dense bushy habit, hardy as far North as this and farther north if planted in wind-shelter. B—General Listing of Conifers ABIES amabilis. arizonica		.50	1.45	4.75
of dense bushy habit, hardy as far North as this and farther north if planted in wind-shelter			777	
B				
ABIES amabilis		.55	1.60	5.75
ABIES amabilis	P. Consent Listing of Coniform			
arizonica. 70 1.75 6.6 balsamea 30 6.5 2.2 cephalonica 30 6.5 2.2 cillicica 30 6.5 2.2 cillicica 30 6.5 3.0 concolor, Colorado 1.5 40 1.5 concolor lowiana 2.5 5.0 1.7 firma 1.5 40 1.2 fraseri 4.5 1.20 4.0 grandis 30 7.5 2.5 holophylla 2.5 50 1.7 holophylla 2.5 50 1.7 koreana 2.5, ¼ oz 45 lasiocarpa 35 7.5 2.5 magnifica 35 7.5 2.5 nobilis, from trees in cultivation 5.5 1.35 4.8 nordmanniana 30 6.5 2.2 pectinata 20 1.30 6.5 2.2 pectinata 20 1.30 6.5 2.2 pectinata 20 1.30 6.5 2.3 pectinata 20 30 6.5 2.3 pectinata 20 30 6.6 2.0 pinsapo glauca 45 1.20 4.0 pinsapo glauca 5.5 4.5 1.20 4.0 pinsapo glauca 5.5 4.5 1.20 4.0 pinsapo glauca 5.5 4.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1		.35	.85	3.00
balsamea				6.00
cephalonica 30 .65 2.2 cilicica .30 .65 3.0 concolor, Colorado .15 .40 1.5 concolor lowiana .25 .50 1.7 firma .15 .40 1.2 faraseri .45 1.20 4.0 grandis .30 .75 2.5 holophylla .25 .50 1.6 homolepsis (brachyphylla) .25 .50 1.7 koreana .25 .45 1.8 lasiocarpa .35 .75 2.5 magnifica .35 .75 2.5 mariesi .35 .75 2.5 nobilis, from trees in cultivation .55 1.35 4.5 nordmanniana .30 .65 2.0 pinsapo .30 .65 2.0 pinsapo glauca .45 1.20 4.0 sachalinensis .45 1.20 4.0 sachalinensis .45 1.20 4.5 sibirica .65 </td <td></td> <td></td> <td></td> <td>2.25</td>				2.25
concolor, Colorado 1.15				2.25
Concolor lowiana	cilicica	.30	.65	3.00
firma		.15	.40	1.50
fraseri	concolor lowiana	.25	.50	1.75
grandis	firma	.15	.40	1.25
holophylla	fraseri	.45	1.20	4.00
homolepsis (brachyphylla)	grandis	.30	.75	2.50
koreana		.25	.50	1.60
lasiocarpa .35 .75 2.5 magnifica .35 .75 2.5 magnifica .35 .75 2.5 mariesi .35 .75 2.5 nobilis .40 .90 3.0 nobilis .40 .90 3.0 nobilis .55 1.35 4.5 nordmanniana .30 .65 2.2 pectinata .20 .30 1.6 pinsapo .30 .60 2.0 pinsapo glauca .45 1.20 4.0 sachalinensis .45 1.00 3.5 sibirica .55 1.65 5.0 spectabilis (webbiana) Himalayan Silver Fir .55 1.65 5.0 veitchi .30 .65 2.2 BIOTA, see Thuja CEDRUS, Winter and Spring delivery only atlantica argentea (glauca) .45 1.00 3.5 deodara .35 .75 2.5 libani .35 .75 2.5 cEPHALOTAXUS drupacea .35 .75 2.5 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .40 1.5 lawsoniana perdula glauca .40 .90 3.2 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .75 2.50 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera squarrosa .100 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica elegans .40 1.00 3.5 Jap	homolepsis (brachyphylla)	.25	.50	1.75
magnifica .35 .75 2.5 mariesi .35 .75 2.5 nobilis .40 .90 3.0 nobilis, from trees in cultivation .55 1.35 4.5 nordmanniana .30 .65 2.2 pectinata .20 .30 .60 2.0 pinsapo .30 .60 2.0 pinsapo glauca .45 1.20 4.0 sachalinensis .45 1.00 3.5 sibirica .65 1.60 5.7 spectabilis (webbiana) Himalayan Silver Fir .55 1.65 5.0 veitchi .30 .65 2.2 BIOTA, see Thuja .25 1.65 5.0 CEDRUS, Winter and Spring delivery only atlantica .35 .75 2.5 atlantica argentea (glauca) .45 1.00 3.5 .75 2.5 libani .35 .75 2.5 .5 .6 2.0 cepthALOTAXUS drupacea .20 .35 1.0 .2 .45 1.2	koreana25, ½ oz.	.45		
mariesi .35 .75 2.5 nobilis .40 .90 3.0 nobilis, from trees in cultivation .55 1.35 4.5 nordmanniana .30 .65 2.2 pectinata .20 .30 .62 2.2 .30 1.6 2.2 .30 .60 2.0 .30 .60 2.0 .9 pinsapo .30 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 2.0 .60 .60 2.0 .60 .60 .60 2.0 .60	lasiocarpa	.35	.75	2.50
nobilis, from trees in cultivation .50 3.0 nobilis, from trees in cultivation .55 1.35 4.5 1.05 4.5 1.05 4.5 1.05 4.5 2.2 30 1.0 2.2 30 1.0 3.0 60 2.0 2.0 30 1.0 2.0 30 1.0 2.0 30 1.0 2.0 2.0 30 1.0 2.0 30 1.0 2.0 30 1.0 2.0 30 1.0 2.0 30 1.0 3.0 60 2.0 2.0 3.0 6.0 2.0 3.0 6.0 2.0 3.0 6.0 2.0 3.0 6.0 2.0 3.5 6.5 1.6 5.7 5.5 1.65 5.0 5.0 4.0 3.0 6.5 2.2 2.0 3.5 5.5 1.65 5.0 5.0 4.0 4.0 3.5 7.5 2.5 2.5 4.0 3.0 4.5 1.0 3.2 4.0 4.0 3.0 4.0 4.0 3.0 4.0 4.0 4.0 4.0 4.0 4.	magnifica	.35	.75	2.50
nobilis, from trees in cultivation .55 1.35 4.5 nordmanniana .30 .65 2.2 pectinata .20 .30 1.6 pinsapo .30 .60 2.0 pinsapo glauca .45 1.20 4.0 sachalinensis .45 1.00 3.5 sibirica .65 1.60 5.7 spectabilis (webbiana) Himalayan Silver Fir .55 1.65 5.0 veitchi .30 .65 2.2 BIOTA, see Thuja 2 2.2 CEDRUS, Winter and Spring delivery only atlantica .35 .75 2.5 atlantica argentea (glauca) .45 1.00 3.5 .75 2.5 libani .35 .75 2.5 1.0 3.5 .75 2.5 libani .35 .75 2.5 1.0 3.5 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 3.5 .75 2.5 cepthalingtonia .20 .45 1.0 2.0 4.5		.35		2.50
nordmanniana 30 65 2.2				3.00
pectinata 20 30 1.0 pinsapo 30 60 2.0 pinsapo glauca 45 1.20 4.0 sachalinensis 45 1.00 3.5 sibirica 65 1.60 5.7 spectabilis (webbiana) Himalayan Silver Fir 55 1.65 5.0 veitchi 30 .65 2.2 BIOTA, see Thuja CEDRUS, Winter and Spring delivery only atlantica 35 .75 2.5 atlantica argentea (glauca) 45 1.00 3.5 deodara 35 .75 2.5 libani 35 .75 2.5 CEPHALOTAXUS drupacea 20 35 .75 2.5 fortunei 25 .60 2.0 harringtonia 20 .45 1.6 CHAMAECYPARIS lawsoniana 22 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain 30 .75 2.5 lawsoniana argentea 40 .90 3.2 lawsoniana pyramidalis .35 .80 .27 nootkatensis .75 2.20 6.7 obtusa .75 2.50 pisifera filifera .75 2.50 pisifera squarrosa .75	•			4.50
pinsapo glauca				2.25
pinsapo glauca	•			1.00
sachalinensis .45 1.00 3.5 sibirica .65 1.60 5.7 spectabilis (webbiana) Himalayan Silver Fir .55 1.65 5.7 veitchi .30 .65 2.2 BIOTA, see Thuja .30 .65 2.2 CEDRUS, Winter and Spring delivery only .35 .75 2.5 atlantica .35 .75 2.5 atlantica argentea (glauca) .45 1.00 3.5 deodara .35 .75 2.5 libani .35 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana spendula glauca .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.50 pisifera (retinispora) .15				2.00
sibirica .65 1.60 5.7 spectabilis (webbiana) Himalayan Silver Fir .55 1.65 5.0 veitchi .30 .65 2.2 BIOTA, see Thuja CEDRUS, Winter and Spring delivery only atlantica .35 .75 2.5 atlantica argentea (glauca) .45 1.00 3.5 deodara .35 .75 2.5 libani .35 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pyramidalis .35 .80 .27 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera squarrosa .10				4.00
spectabilis (webbiana) Himalayan Silver Fir .55 1.65 5.0 veitchi .30 .65 2.2 BIOTA, see Thuja CEDRUS, Winter and Spring delivery only atlantica .35 .75 2.5 atlantica argentea (glauca) .45 1.00 3.5 deodara .35 .75 2.5 libani .35 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera filifera .75 2.50 pisifera squarrosa .10				3.50
veitchi. 30 .65 2.2 BIOTA, see Thuja CEDRUS, Winter and Spring delivery only atlantica .35 .75 2.5 atlantica argentea (glauca) .45 1.00 3.5 deodara .35 .75 2.5 libani .35 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.5 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera squarrosa .15 .40 1.2 pisifera squarrosa .1				
BIOTA, see Thuja 35 .75 2.5 atlantica .35 .75 2.5 atlantica argentea (glauca) .45 1.00 3.5 deodara .35 .75 2.5 libani .35 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nobtusa .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera squarrosa .75 2.50 pisifera squarrosa .75 2.50 CRYPTOMERIA japonica, seed from Japan .15 .40 1.00 3.5 japonica elegans .40 <td></td> <td></td> <td></td> <td></td>				
CEDRUS, Winter and Spring delivery only 35 .75 2.5 atlantica .35 .75 2.5 atlantica argentea (glauca) .45 1.00 3.5 deodara .35 .75 2.5 libani .35 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .35 .80 2.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera plumosa .75 2.50 pisifera squarrosa .10 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.00 3.5 japonica elegans		.30	.65	2.25
atlantica 35 .75 2.5 atlantica argentea (glauca) .45 1.00 3.5 deodara .35 .75 2.5 libani .35 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera plumosa .75 2.50 pisifera squarrosa .75 2.50 CRYPTOMERIA japonica, seed from Japan .15 .40 1.00 3.5 japonica elegans .	CEDDIS Winter and Spring delivery only			
atlantica argentea (glauca) .45 1.00 3.5 deodara .35 .75 2.5 libani .35 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 obtusa .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera plumosa .75 2.50 pisifera squarrosa .100 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica elegans .40 1.00 3.5	atlantica	25	75	2.50
deodara .35 .75 2.5 libani .35 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera squarrosa .75 2.50 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica elegans .40 1.00 3.5				
libani 35 .75 2.5 CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera squarrosa .75 2.50 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica elegans .40 1.00 3.5				2.50
CEPHALOTAXUS drupacea .20 .35 1.0 fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera squarrosa .75 2.50 pisifera squarrosa .100 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica elegans .40 1.00 3.5				2.50
fortunei .25 .60 2.0 harringtonia .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera squarrosa .75 2.50 pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5				1.00
harringtonia. .20 .45 1.6 CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera squarrosa .75 2.50 pisifera squarrosa .100 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5	•			2.00
CHAMAECYPARIS lawsoniana .25 .45 1.5 lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera plumosa .75 2.50 pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5				1.60
lawsoniana, seed from Scandinavia, a hardy strain .30 .75 2.5 lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera plumosa .75 2.50 pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5				1.50
lawsoniana argentea .40 .90 3.2 lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera plumosa .75 2.50 pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5	lawsoniana, seed from Scandinavia, a hardy strain			2.50
lawsoniana pendula glauca .45 1.25 3.7 lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera plumosa .75 2.50 pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5		_		3.25
lawsoniana pyramidalis .35 .80 2.7 nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera plumosa .75 2.50 pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5				3.75
nootkatensis .75 2.20 6.7 obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera plumosa .75 2.50 pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5				2.75
obtusa .15 .40 1.2 pisifera (retinispora) .15 .40 1.2 pisifera filifera .75 2.50 pisifera plumosa .75 2.50 pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5				6.75
pisifera filifera .75 2.50 pisifera plumosa .75 2.50 pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5	obtusa			1.25
pisifera filifera .75 2.50 pisifera plumosa .75 2.50 pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5	pisifera (retinispora)	.15	.40	1.25
pisifera squarrosa 1.00 3.20 CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5	pisifera filifera	.75	2.50	
CRYPTOMERIA japonica, seed from Japan .15 .40 1.5 japonica araucarioides .40 1.00 3.5 japonica elegans .40 1.00 3.5		.75	2.50	
japonica araucarioides	pisifera squarrosa	1.00	3.20	
japonica elegans	CRYPTOMERIA japonica, seed from Japan	.15	.40	1.50
japonica elegans	japonica araucarioides	.40	1.00	3.50
japonica lobbi	japonica elegans			3.50
	japonica lobbi	.40	1.00	3.50

	oz.	1/4 lb.	lb.
CUNNINGHAMIA lanceolata (sinensis)	.35	.90	2.00
CUPRESSUS arizonica	.40	.90	3.00
funebris	.35	.85	2.80 3.75
govenianalusitanica	.40 .35	1.10 .80	3.00
macnabiana, clean	.40	1.10	3.75
macrocarpa	.30	.70	2.35
macrocarpa, seed from garden specimens	.35	.85	3.00
sempervirens horizontalis	.15	.25	.75
sempervirens pyramidalis (stricta)	.15	.25	.80
torulosa	.25	.60	2.00
GINKGO biloba, domestic	.15	.20	.50
JUNIPERUS chinensis, clean	.35	.70	2.50
communis, imported, clean	.20	.35	1.25
New England berries	. 15	.35	1.15
communis canadensis	.15	.40	1.50
communis depressa (prostrata)	.15	.40	1.45
communis montana (siberica) seed from Montana	.15 .35	.40 .70	1.45 2.50
formosana, Chinese Weeping Juniper, graceful new Juniper said to be	.35	.70	2.50
hardy North35 pkt.	0	A	
horizontalis, a fine hardy Juniper from Montana	.25	.65	2.25
japonica	.55	1.25	4.50
monosperma	.15	.40	1.50
procumbens, clean	.35	.70	2.50
rigida	.50	1.25	4.25 1.75
sabinascopulorum, seed from Colorado	.25 .20	.50 .35	1.75
seed from Montana or Dakota	.15	.35	1.50
scopulorum, columnar type, a natural form found in isolated stands in			
Montana	.25	.55	2.00
scopulorum, spreading type, a hardy prostrate form from Montana	.15	.40	1.25
scopulorum, seed from selected trees, blue or bright green	.25	.50	1.75
virginiana, seed from New England	.15	.40	1.50
seed from Tennesseeseed from Nebraska, Platte River type	.15 .15	.25 .40	1.25
seed from Nursery specimens, clean	.30	.65	2.25
LARIX europaea, 1000-2000 ft	.15	.40	1.50
europaea, large grained seed from Western High Alps, 5000-6000 ft	.45	1.10	3.75
europaea, seed from Scotland, this and the former not being affected by	.10	1.10	0.70
the leaf-shedding disease seem to be the best	.45	1.10	3.75
europaea sudetica (polonica) 2000-3000 ft	.35	.75	2.50
laricina (americana)	.95	2.35	8.00
leptolepis	.55	1.25	4.50
occidentalis	.45	1.10	3.75
sibirica	.55	1.25	4.50
LIBOCEDRUS decurrens	.25	.55	2.0
PICEA ajanensis, see jezoensis	1 70	4.00	
breweriana	1.50	4.00	
broadcast will plant about 25 yds. of 4 ft. wide bed.			
seed from planted stands	.15	.40	1.45
seed from Northern New England or Canada	.40	.90	3.00
canadensis albertiana, Black Hills Spruce	.55	1.25	4.50
engelmanni	.40	.90	3.00
excelsa—One pound of NORWAY SPRUCE seed sown broadcast will plant about 15 yds. of 4 ft. wide bed.			
1. Seed from the Alps	. 15	.30	.90
2. Seed from Boehmerwald (Bohemian Forest), a rugged strain,		-	
superior in many ways to ordinary seed, preferred by European Foresters and Nurserymen		.40	1.25
Foresters and Nurserymen		.40	1.20

PICFA (continued)	OZ.	1/4 lb.	lb.
PICEA (continued) 3. Lowland Strain-Northern Europe, exceeding in size and wood prod-			
uction the mountain strains, thriving even on wet land, producing superior plant material of dark green color as preferred in landscape			
work and for use as Christmas trees. Seed is excellently cleaned and			
of highest germination	.30	.70	2.25
4. Seed from France, Vosges Mountains and Black Forest, Germany.	125		
The fastest growing strain	.20	.45	1.50
5. Seed from Finland. (P. excelsa borealis) the hardiest strain, valu-	25	00	0.00
able in landscaping because of its slow growth	.35	.80 1.50	2.75
hursti (described ahead)	.55 2.50	1.30	
jezoensis.	.45	1.00	3.50
jezoensis hondoensis	.30	.90	3.00
koyamai	.65	1.75	6.00
mariana (nigra)	.55	1.25	4.50
morinda, see smithiana.			
obovata	.65	1.40	5.25
omorika80, 1/4 oz.	2.00	7.50	28.00
orientalis, seed from planted trees in Northern Europe	1.00	2.85	7.50
pungens	.35	.90	3.25
pungens glauca, Colorado Blue Spruce, from blue stands	.45	1.10	3.75
hand picked from blue trees	.75	1.80	6.00
hand picked from highly colored specimen trees50, 1/4 oz.	1.50	4.00	
rubra	.50	1.10	4.00
sitchensis	.50	1.10	4.00
sitchensis from Alaska	.50	1.25	4.50
smithiana (morinda)	25	00	2.00
PINUS aristata	.35	.90	3.00 5.35
attenuatabanksianab	.60 .35	1.50	2.75
bungeana, Lacebark Pine, a holy tree of the Chinese planted in temple	.55	.00	2.10
grounds, bark becomes chalky white on old trees	.40	.90	3.00
canariensis	.25	.50	1.75
caribaea	.30	.85	2.25
cembra	.15	.30	1.00
cembra sibirica	.20	.40	1.50
contorta	.55	1.65	5.00
contorta latifolia, see murrayana			
contorta latifolia, see murrayana coulteri	.30	.90	2.50
densiflora	.15	.40	1.50
echinata	.60	1.75	5.50
edulis	.15	.25	.75
excelsa	.20	.40	1.50
flexilis	.25	.85	3.25
gerardiana	.55	1.25	1.00
halepensisjeffreyi	.15	.35	2.50
koraiensis	.15	.25	.75
koraiensis. Northernmost form from interior Manchuria, much hardier	.15	.20	.13
than the usual strain from Korea	.35	.90	2.50
lambertiana	.20	.50	1.75
leucodermis	.50		2
longifolia, leaves to 12 inches long, not hardy North	.55	1.25	4.50
maritima, see pinaster		.60	2.00
	.25		
maritima, see pinaster	.25	1.00	3.50
maritima, see pinaster massoniana, Chinese Red Pine		1.00	3.50 2.00
maritima, see pinaster massoniana, Chinese Red Pine	.40		
maritima, see pinaster massoniana, Chinese Red Pine. montana gallica. montana mughus. montana mughus, selected dwarf. montana mughus compacta	.40 .25	.55	2.00
maritima, see pinaster massoniana, Chinese Red Pine. montana gallica. montana mughus. montana mughus, selected dwarf. montana mughus compacta montana pumilio.	.40 .25 .40	.55	2.00 3.00
maritima, see pinaster massoniana, Chinese Red Pine. montana gallica. montana mughus. montana mughus, selected dwarf. montana mughus compacta.	.40 .25 .40 .40	.55 .90 .85	2.00 3.00 3.25

F. W. SCHUMACHER

NUS (continued)	oz.	1/4 lb.	lb.
monticola	.55	1.25	4.50
murrayana (latifolia)	.50	1.40	4.75
nigra (austriaca) seed from Austria—One pound of AUSTRIAN PINE	***		1110
seed sown broadcast will plant about 16 yds. of 4 ft. wide bed	.15	.40	1.25
nigra calabarica	.35	.90	3.00
nigra poiretiana (laricio) Corsican Pine			
seed from planted stands	.35	.75	2.50
seed from Corsica, Foret de Valdoniello, 4500-5000 ft	.45	1.30	4.25
palustris	.15	.40	1.25
parryana, hardy dwarf Pine, fine for specimens	.50	1.50	5.00
parviflora (pentaphylla)	.25	.55	2.00
patula	.80	3.00	0.00
peuce, true	.40	.90	3.00
pinaster (maritima) from inland forests	.15	.25	.75
French seed collected from seashore plants only	.20	.45	1.50
Corsican seed from high elevation 4500 ft	.25	.60	2.00
pinea	.15	.25	.85 2.25
ponderosa, seed from Pacific Coast (timber strain)ponderosa (scopulorum) seed from Colorado	.25	.75 .45	1.50
seed from Black Hills and Northern Rockies	.30	.75	2.25
	.45	1.50	2.23
pumilaradiata (insignis)	.25	.65	2.10
resinosa	.75	1.70	6.00
rigida, New England	.45	1.00	3.50
sabiniana	.20	.35	1.25
sinensis (tabulaeformis), Chinese Pine, attention has turned lately to this	.20		1.20
beautiful and extremely hardy Pine. A notable ornamental according			
to the late E. H. Wilson	.35	.75	2.50
strobus—One pound of WHITE PINE seed sown broadcast will plant			
about 10 yds. of 4 ft. wide bed.			
New England seed	.35	.75	2.50
seed from Lake States or Canada	.25	.45	1.50
sylvestris—A government decree prohibiting collection and distribution			
of Pine seeds, other than certified as collected from forests recognized			
by authorities for their pedigree shuts out the importation of all but			
the best seed from Germany. We are prepared to furnish certified			
seed of the well known STRAIGHT TIMBER STRAIN of Northern			
Germany from the following sources.			
Province of Saxony—Elbe River West	.60	1.35	5.00
Province of Brandenburg—Elbe River East	.85	2.25	7.50
Province of Pommerania—Oder River	.85	2.25	7.50
Province of Eastern Prussia—Vistula River East	.85	2.25	7.50
sylvestris, from other sources:	4=	* 00	2 50
Czecho-slovakia, a fine strain of clear bole timber	.45	1.00	3.50
Seed from South Central Europe	.15	.40	1.25
North-Western Europe—France	.20 .45	.45 1.00	1.50 3.50
Seed from Latvia or Finland—RIGENSIS STRAIN	.40	.90	3.00
Seed from other sources can be supplied upon request.	.40	.30	3.00
tabulaeformis, see sinensis			
taeda	.35	.80	2.75
thunbergi	.20	.35	1.00
torreyana	.60	1.50	5.00
virginiana	.60	1.50	5.00
			5.00
UDOLARIX kaempferi	.60	1.50	
UDOTSUGA douglasi caesia (described ahead)	.50	1.35	4.50
douglasi caesia, high elevation 4000 feet	.75	1.75	6.00
douglasi glauca, Colorado	.45	1.00	3.50
douglasi glauca, Montana	.55	1.25	4.50
douglasi viridis, Coast Strain	.55	1.25	4.50
ADOPITYS verticillata	.45	1.00	3.50

	oz.	1/4 lb.	Ib.
SEQUOIA gigantea	.75	1.75	6.00
sempervirens, domestic seed only	.35	.90	3.25
TAXODIUM distychum	.15	.40	1.50
TAXUS baccata	.25	.50	1.75
baccata adpressa	.30	.75	2.50
baccata fastigiata (pyramidalis)	.35	.95	3.00
canadensis	.45		
cuspidata capitata	.25	.40	1.50
cuspidata, domestic seed	.40	.95	3.00
media hicksi	.50		
THUJA occidentalis	.35	.95	3.00
occidentalis pyramidalis	.40	1.00	3.50
occidentalis wareana	.75	2.25	7.50
THUJA (Biota) orientalis, domestic seed	.20	.40	1.50
imported seed	.15	.35	1.00
orientalis aurea	.35	.60	1.75
orientalis aurea nana	.35	.75	2.50
orientalis compacata (sieboldi)	.30	.70	2.25
orientalis conspicua	.35	.75	2.50
orientalis nana	.30	.70	2.35
orientalis pyramidalis	.35	.75	2.50
plicata (gigantea-lobbi)	.50	1.25	4.00
TSUGA canadensis, New England or Canada	.60	1.50	5.50
caroliniana	.55	1.60	5.75
diversifolia	.45	1.00	3.50
heterophylla	.65	1.75	6.50
mertensiana	.95	2.25	8.00
sieboldi	.45	1.00	3.50

III

DECIDUOUS TREES AND SHRUBS

A-Trees and Shrubs of Merit (Insufficiently known to the trade)

Packets—Packets of all items listed can be supplied at 15c. each, unless priced otherwise.

Packets—Packets of all items listed can be supplied at 15c	. each	, unles	ss price	i oth	erwise.	
AMELANCHIER canadensis, the true Downy Shadblow	pkt.	1/6 oz.	1/4 oz.	oz.	1/4 lb.	lb.
(not the usual mixture of various species), snow-white flowers before leaves. Habit erect, a rather stout						
shrub or small tree, the true seed is scarce			.25	.60	2.00	
laevis, but larger in all parts, buds often purplish pink, tinged pink when open (var. rubescens). With the large berries borne in clusters, plants have the appear-			;			
ance of a cherry tree laden with fruit. Due to its pro- fuseness of bloom and fruiting this may easily be classed, when better known, as the most valuable of		4. 49				
our Eastern Shadblows	at			.45	1.25	4.00
foliage and drooping flower racemes expanding at same time. Slender shrub usually not attaining size of canadensis or grandiflora.						
New England seed				.40	1.10	3.50
tender skinned, good to eat and for preserves				.45	1.25	4.00

AMBELODSIS Laurence Silvaria Creenes hardeeme	pkt.	½6 oz.	⅓ oz.	oz.	¹¼ lb.	lb.
AMPELOPSIS henryana, Silvervein Creeper, handsome creeper from China with purplish foliage and white						
veins. ARCTOSTAPHYLOS uva-ursi, Bearberry, the very best ground cover plant for light sandy soils, dune-lands,			.20	.55	1.70	6.00
rocky slopes, an excellent ornamental with its shiny foliage. New England seed				.20	.75	1.75
AZALEA altaclarensis, Altaclare Azalea, said to be a hybrid between Azalea mollis and our native viscosa, remark-						
able for its deep yellow flowers CELASTRUS angulata latifolia, rapidly growing new	.25		2.00	6.50		
species from China, with large leaves to 6 inches long CLADRASTIS (Virgilia) lutea (tinctoria) Yellow Wood, this fine native tree should be planted more frequently, hardy here it grows to 50 feet high, has white flowers in long clusters and attractive foliage turning yellow		.20	.30	.90)	
in the fall				.30	.85	3.00
Dogwood, with flowers of cream color, faster growing, more beautiful and hardy than Japanese form COTONEASTER adpressa, Creeping Cotoneaster, prostrate				.45	1.20	4.00
more adapted to small rockeries than horizontalis and with larger berries, hardy in New England foveolata, little known Cotoneaster of stout, erect habit with large distinctive foliage. A fine ornamental, hardy in New England, easily the best of the black			.25	.60	1.75	6.00
fruited varieties			.20	.50	1.50	
more prostrate than horizontalis	.20		.35	1.00		
horizontalis			.25	.60	1.75	6.00
Fresh fruit\$2.50, 10 lbs.; \$19.50, 100 lbs. Dry berries				25	.25	.30 .90
Clean seed				.35	.75	2.50
Dry berries. Clean seed. nitida, Glossy Hawthorn—Native, conspicuous by its glossy foliage and heavy crops of brilliant orange				.15	.25 .45	.55 1.25
scarlet berries retained well into Winter. Dry berries				.35	.25 1.00	.75 3.00
prunifolia, Plumleaf Hawthorn—Native, with clusters of red fruit in great profusion, rivaling crusgalli as ornamental.						
Dry berries				.25	.25 .65	.75 2.25
other Hawthorns and dull red berries. Fruit				.20	.25 .45	.35 .75 1.50

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
CYTISUS ratisbonensis, Spring Broom, the first Cytisus to						
bloom in our collection early in May. Entirely hardy here						
supinus (capitatus) Bigflower Broom, smothered with						
blooms in July. This Broom, with its neat compact						
habit to 3 ft. high of globular shape, deserves the atten-						
tion of landscape planters and soil conservationists.						
Plants grow and succeed in the poorest of soil and prove perfectly hardy with us. Transplanting in Spring offers						•
no trouble if tops are cut back severely. 6500 seeds						
to the ounce		.25	.35	1.00	3.00	
DAPHNE cneorum, Garland Flower. This plant does not						
seed satisfactorily in low altitudes. Seed offered is						
collected under great difficulties 5000 ft. above sea level50 seeds, .45; 100 seeds, .75; 1000 seeds, \$6.00						
DAVIDIA involucrata, Dove Tree, one of the choicest of						
flowering trees from China. We are offering this						
season a strain hardier than usual collected at an						
altitude between 8000 and 10,000 ft. According to						
our correspondent trees are found up to 12,000 ft. above sea level10 seeds, \$1.50; 100 seeds, \$10.00						
vilmoriana, Vilmorin's Dove Tree, distinguished from						
former by minor botanical differences. Seed secured						
from a strain in cultivation.						
10 seeds, \$1.50; 100 seeds, \$10.00 EUONYMUS bungeanus, the only Oriental Euonymus found						
frequently planted in this vicinity ultimately forming						
a small tree of graceful habit with pendulous branches						
and fairly persistent ornamental fruit, perfectly hardy				~=		0 50
Northpatens, Spreading Euonymus, low shrub, very ornamental				.35	.75	2.50
with its nearly evergreen foliage and orange-red fruit.						
Good for borders and in Azalea plantings, hardy in						
New England	.20		.60			
planipes, in its erect habit with rather stout branches quite different from other Asiatic Euonymus. In our						
opinion, it is the most ornamental of all Euonymus						
due to its moderate size, large foliage and brilliant						
display of fruit, hardy in New England	.25		.75			
FOTHERGILLA major	.35		.65	2.00		
monticola. Two very fine and hardy native ornamentals of the Witch Hazel family, with attractive flowers in						
spring and brilliantly colored foliage in the fall.						
Monticola is the lesser and as a garden plant, in our						
opinion, the more valuable of the two	.35		.65	2.00		
FRANKLINIA (Gordonia) Alatamaha, the well known						
Franklinia, America's choicest flowering shrub blooming in late Summer and Fall.						
10 seeds, .65; 100 seeds, 5.50						
MALUS baccata, Siberian Crab, dry pomes				.35	.75	2.50
baccata mandshurica, Mandshurian Crab. Two ex-						
tremely hardy and disease-resistant ornamental Apples doing well even in sandy soil. Fast growing bushy					-	
trees with large white flowers and clusters of red or					-	
yellow berry-like fruit.						
Domestic dry pomes				.35	.75	2.50
ioensis, Prairie Crab, the hardiest of our native Crab Apples, the proper stock for Bechel's Crab (Malus						
ioensis plenus) which will not thrive on common						
apple. It is a good landscape object and valuable as a						
breeding parent for developing hardier eating apple						
varieties for the extreme North. Clean seed			.35	.75	2.50	

	pkt.	1/16 oz.	1/4 oz	. oz.	1/4 lb.	lb.
MALUS (continued) robusta, a baccata Hybrid, faster growing and attaining flowering size sooner than baccata, a fine ornamental Crab, truly named for its robust habit, broad pyramidal in shape, a mass of large apple-blossom flowers in May. May be expected to be hardy far to the North. Ten year plants, from seed, measure 20 feet						
high			.20	.40	.95	3.00 2.50
RIBES fasciculatum, Japanese Alpine Currant, shrub similar						
to Ribes alpinum, with persistent foliage and scarlet fruit remaining on the plants over winter, a fine ornamental	.15		.30	.90		
ROSA ecae (primula) shrub to 6 ft., hardy in New England, with attractive fragrant foliage, and an abundance of small yellow flowers (1½ in. across) in May 10 seeds, .20; 100 seeds, \$1.50						
SAMBUCUS coerulea, most impressive of native Elder- berries, with large flower heads and conspicuous bluish white fruit			.15	.30	1.00	
SMILAX rotundifolia, no better cover for bird sanctuaries can be found than a thicket of Green Briars with its inter-twining mass of prickly branches				.20	.40	1.25
SORBUS scandica, remarkable ornamental from Scandinavia, large shrub or small tree with attractive foliage and red berries. Clean seed			.35	1.00		
SYMPLOCOS paniculata (crataegoides), Asiatic Sweetleaf, hardy in New England, ornamental shrub valued for its fragrant white flowers in spring and bright blue berries in fall.						
Imported clean seed				.25 .30	.60 .75	2.00 2.50
SYRINGA henryi lutece, a hybrid between josikaea and villosa, faster growing and having larger flower-panicles than either parent, easily grown from seed. For its outstanding ornamental qualities this hybrid strain						
can be highly recommended	.25	.45				
ULMUS hollandica (campestris latifolia) a splendid strain of Elms, combining the features of Scotch and English Elms, seed may be sown late in fall for spring germination.	.25	.60	1.85			
VIBURNUM betulifolium, Birchleaf Viburnum, a fine new Viburnum from China, to 10 feet, with birchlike foliage and large clusters of bright red berries	.35					
VITIS vulpina (odoratissima or riparia), native Riverbank Grape, much planted in Europe on arbors for the bright green foliage and fragrancy of its flowers				.35	.75	2.50

B.—General Listing of Trees and Shrubs

PACKETS-Packets of all items listed can be supplied at 15c. each, unless priced otherwise.

••		•		
ACANTHOPANAX ricinifolium	pkt. 1/16 oz.		. 1/4 lt 35 \$.75	
		-		
ACER campestre			20 .35 25 .70	
carpinifoliumdasycarpum (New England seed, large quantities in crop		••	.70	2,23
years) Order in April			15 .25	.65
ginnala			15 .40	
hersi		•	.40	1.50
macrophyllum, fine Western Maple			20 .40	1.25
monspessulanum		-	20 .45	
negundo			15 .25	
nikoense, fine Japanese Maple, with brilliant fall coloring			35 .75	
palmatum			5 .40	
palmatum atropurpureum		.:	5 1.75	6.50
pennsylvanicum		.:	25 .60	2.00
platanoides, here collected			15 .25	.75
pseudo-platanus			.30	1.00
pseudo-platanus purpurascens			.35	1.25
rubrum			.50	1.50
rubrum, New England seed		.:	5 .75	2.50
saccharum		.1	5 .35	1.25
spicatum		.4	0 1.20	4.00
tataricum		.3	5 .95	2.50
ACTINIDIA arguta			50 .50	5.00
chinensis	.35	• •	.50	3.00
lanceolata	.35	.50 1.5	in	
polygama	.35	.50 1.5		
	.55	.50 1	,0	
AESCULUS glabra				.30
hippocastanum				.15
octandra				.35
AILANTHUS glandulosa		.1	_	.75
vilmoriniana		.15 .3	5 1.00	
AKEBIA lobata, a fine climber with large foliage and inter-				
esting fruiting habit		.1	5 .40	1.50
quinata		.1	5 .40	1.35
ALBIZZIA julibrissin		.1	5 .30	1.00
julibrissin, rose flowered, the best garden form, hardy				1.00
around Boston		.3	5 .70	2.50
ALEURITES fordi, Tung-Oil Tree		.1		1.25
ALNUS cordata			.60	
glutinosa			.5 .30	
incana		.1		
rubra (oregana)		.4	0 .85	3.00
rugosa, native Alder, useful ornamental and cover shrub				
on wet ground		.1		
viridis		.1	5 .40	1.25
AMELANCHIER alnifolia		.15 .2	.70	2.50
canadensis, the true canadensis		.25 .6	0 2.00	ten.
canadensis, clean		.25 .8	5 2.35	9.00
canadensis, collector's seed, the grade usually available				
in the trade, consisting of various Eastern species,				
including most all of this listing		.3		
grandiflora (canadensis x laevis, natural hybrids)			5 1.25	
laevis, Northern			0 1.10	
oblongifolia (botryapium), true		.25 .6		
stolonifera		.15 .3		3.00
stolonifera, dwarf, almost prostrate form		.20 .5		
stolonifera, hybrid, laevis resemblance, described before		.4	5 1.25	4.00
12				

	pkt.	1/16 oz.	1/4 OZ.	oz.	1/4 lb.	lЬ.
AMORPHA canescens	P	710 040	74	.25	.65	2.10
fruticosa				.15	.25	.85
microphylla (nana)				.25	.35	2.00
AMPELOPSIS aconitifolia100 seeds, .35; 1000 seeds, 2.00						
brevipedunculata			.15	.45		
henryana			.20	.65	1.70	6.00
heterophylla (amurensis)				.25	.50	2.00
laetevirens	.35					
megalophylla, Large Leaf Ampelopsis						
100 seeds, .35; 1000 seeds, 1.25						
quinquefolia, berries				.15	.30	.85
clean				.15	.40	1.50
thomsoni, handsome new species, with striking red foliage						
in fall	.35					
tricuspidata, elean				.15	.40	1.50
AMYGDALUS, see Part I						
ARALIA chinensis, Chinese Anglica tree				.25	.45	1.75
hispida, Bristly Sarsaparilla, clean seed				.35	.85	3.00
spinosa				.15	.35	1.25
ARBUTUS menziesi				.35	.75	2.50
unedo, clean				.25	.60	2.00
ARCTOSTAPHYLOS alpina	.25					
columbiana			.25	.65		
glauca				.25	.60	2.00
pungens			.25	.85		
tomentosa				.25	.60	2.00
uva-ursi, New England seed				.20	.55	1.75
ARDISIA crenulata, Coral Ardisia				.35	.75	2.60
japonica, Creeping Ardisia				.30	1.00	
ARISTOLOCHIA sipho, true large-leaved Aristolochia			.20	.40	1.00	3.50
tomentosa			.15	.30	.50	1.50
ARONIA arbutifolia				.15	.35	1.25
atropurpurea				.15	.35	1.25
melanocarpa				.15	.30	1.00
ASIMINA triloba				.15	.35	1.25
ATRIPLEX halimus				.20	.45	1.50
AZALEA, Botanical Species						
albrechti	.75					
arborescens		.25	.60	2.00		
calendulacea		.20	.50	1.75		
canescens		.35	.75	2.50		
dahurica		.30	.85	3.00		
dilatata	.25	.40	1.25			
indica macrantha	.25	.75				
japonica, with flowers of salmon, red and yellow shades,						
strain as originally introduced by the Arnold Arbo-						
retum, plants are entirely hardy in New England	.25	.75	2.00			
japonica, seed from Japan		.20	.60	2.00		
kaempferi, imported		.20	.60	2.00		
kaempferi, domestic sced, collected from fine New England						
specimens, a hardy strain	.25	.70	2.00	6.50		
ledifolia noordtiana (japonica alba grdfl.) a splendid						
white form	.35	.75	2.50			
mollis, choicest domestic	.20	.35	1.00	3.00		
mollis, from European Garden varieties	_	.75	2.00	6.00		
mollis, seed from Japan		.15	.30	1.00	2.25	7.00
mollis (sinensis) Wild Chinese Yellow Azalea		.25	.65	2.25		
mucronulata		.35	1.00	3.00		
nudiflora		.25	.60	1.75		
obtusa kiusiana (obtusa japonica) the original wild						
"kurume"	.50					
occidentalis	_	.30	.70	2.50		

	nl.+	1/4 0=	1/4 oz.	07	1/, 11-	114
AZALEA (continued)	pkt.	716 OZ.	74 OZ.	UZ.	74 ID.	10.
AZALEA (continued)	90	40	1 10	2 50		
ponticaish and the second of the second	.20	.40	1.10	3.50		
poukhanensis, imported	.20	.35	1.00	3.00		
poukhanensis, from selected garden specimens	.35	.70	2.00	7.00		
procumbens (Loiseleuria pr.)	.85	40	1 05			
rhombica	.25	.40	1.25			
rosea	.20	.40	1.50			
schlippenbachi, domestic	.25	.35		4.00		
schlippenbachi, imported		.25	.55	1.75		
simsi, from China, parent species of Indica Azaleas	.25	.75				
sinensis, see Mollis						
vaseyi		.25	.55	1.75		
viscosa		.25	.60	2.00		
AZALEA Hybrids						
calendulacea x arborescens	.25	.45				
Ghent Hybrids (gandavensis) hybrids of Azalea pontica	.20	. 20				
with American species, representing the most flori-						
ferous and brilliant Azaleas in cultivation, seeds do not						
germinate as easily as those of mollis varieties and						
should receive special attention after planting, spring						
planting seems to give best results. Domestic seed of			0.00			
named and un-named varieties	.35	.75	2.00			
Ghent Hybrids, named varieties at .50 pkt.; \$2.00 for						
1000 seeds, unless marked otherwise.						
Alba Odorata, pure white, sweet scented						
Albicans, white						
Altaclarensis, fine yellow	.25	.75	2.00	6.50		
Charlemagne, soft orange						
Coccinea Speciosa, orange red						
Comte de Flanders, orange						
General Trauff, pink						
Ghent Rose, rose color						
Ignea nova, carmine						
Othello, pink						
Prince Camille de Rohan, light orange						
Roi des Feux, fiery red						
William III, orange						
indica, from choice named varieties	.50	1.25				
indica macrantha hybrida	.30					
kaempferi Hybrids	.50	1.00				
kaempferi x indica crispiflora, flowers in indica	F 0					
fashion, habit and hardiness of kaempferi	.50					
kaempferi x malvatica	.50					
kaempferi x poukhanensis	.50		· · · .		•	
Named varieties:						
Brick Red	.50	· -	-	•	-	
Carmen, rose color	.50		• •			
Cleopatra, old rose	.50					
Fedora, salmon rose	.50					
Othello, brick red	.50					
kurume, these are Garden forms and Hybrids of Azalea						
obtusa kiusiana (obtusa japonica), seeds of varieties						
offered are from our own pot-grown plants carefully					-	-
hand-pollenized with pollen of Azalea kaempferi			•			
hybrids in order to increase hardiness.						
Bridesmaid, fine salmon pink, our hand-pollenized						
seed is of amazing vitality, resulting in quick and						
even germination	.50					
Daybreak, light pink	.50					
	.50					
FlameHinomayo, soft pink						
Hinodogini hand nolleniand	.50					
Hinodegiri, hand-pollenized	.50					

AZALEA HVDDIDS (continue 1)	pkt.	½ oz.	1/4 oz.	oz.	1/4 lb.	lb.
AZALEA HYBRIDS (continued) Hinodegeri, imported seed	.25	.50	1.50			
Kurume, all shades, imported seed	.35	1.00	1.00			
mollis x japonica (mollis x sinensis), a fine large						
flowered strain of mollis	.75					
mollis x occidentalis	.50					
mollis x viscosa	.50					
mollis from named Hybrid varieties .50 pkt., 1000 seeds, 2.00						
Comte de Kerckhove, light orange red						
Emil Liebig, salmon red						
Geh. Gneist, brilliant red						
Hortulanus Witte, orange yellow						
Hugo Hardijzer, red						
Hugo Koster, salmon red						
J. C. Van Tol, clear red Mrs. L. J. Endtz, deep golden yellow						
Nic. Beets, yellow shaded orange						
T. C. Seidel, deep salmon						
obtusa arnoldiana (a moena x kaempferi), a fine hardy						
hybrid, originated at Arnold Arboretum, more vigorous						
and free blooming than amoena, of kamepferi habit	.50	2.00				
pontica hybrida (gandavensis) from fine named hybrids	.35	.70	2.00	25	C.E.	2.00
BACCHARIS halimifoliaBEAUMONTIA grandiflora (tender), Herald's Trumpet,				.25	.65	2.00
a most remarkable evergreen vine with "Easter Lily"						
flowers						
BENZOIN aestivale				.15	.35	1.2
BERBERIS candidula	.35					
gagnepaini	.35					
julianae100 seeds, 1.25; 1000 seeds, 6.00						
koreana			.15	.55	1.25	4.50
thunbergi, New England seed.					.30	.85
Fresh berries, fall delivery					.50	1.50
Fresh berries, broken up prepared for fall planting					.30	.95
Clean seed				.25	.65	2.25
thunbergi atropurpurea, Purple Leaf Barberry. While						
a hundred per cent stand of Red Seedlings cannot be						
expected from this seed, we find from our yearly tests						
that a prevailing number of Red Seedlings are pro-						
duced. Seedlings kept under shade will not assume full coloration until fully exposed to light			.25	.85	2.50	
thunbergi minor, Box-Barberry50 seeds, .35			.20	.00	2.00	
verruculosa		.30	.75			
BERCHEMIA kulingensis, vine with bright red fruits in						
summer	.35					
BETULA alba pendula (verrucosa) European Weeping or						
Silver Birch				.15	.30	1.00
alba (pubescens or odorata) European White Birch, a				.15	.30	1.00
Northern species, will grow on peat and bog land ermani				.35	1.25	1.00
grossa, Japanese Cherry Birch			.20	.45	1.20	
japonica			.20	.40	1.25	
lenta				.25	.85	3.00
lutea				.25	.40	1.50
nigra				.25	.75	2.50
papyrifera				.20	.40	1.50
populifolia	95			.25	.60	2.00
pumilaBIGNONIA grandiflora	.25		.25	.45	1.25	
radicans			.20	.25	.60	2.00
BROUSSONETIA papyrifera				.40	1.20	4.00
PRO CONCILIA Papyriicia						

	pkt.	¹∕6 oz.	1/4 oz.	oz.	1/4 lb.	lb.
BRUCKENTHALIA spiculifolia	.35	•••				
BUDDLEIA magnifica flowers of violet rose			.30	.70	2.50	
magnifica superba, with thick flower heads, violet rose		20	25	1.00	2.00	
and yellow eyeveitchiana, brilliant mauve with orange center		.20 .15	.35 .30	.80	3.00 2.75	
japonica (curviflora) sky blue flowers		.13	.35	1.00	3.00	
		.20	.33			
BUXUS microphylla koreana				.40	.85	3.00
sempervirens				.25	.65	2.10
CAESALPINIA gilliesi, Bird of Paradise Shrub, an interesting						
flowering shrub for the South, magnificent yellow flowers						
with red stamens in large clusters			.20	1.15	1.10	3.75
CALLICARPA americana				.15	.35	1.25
americana alba	.20					
giraldiana, China			.25	.50	1.50	
giraldiana subincanescens, China			.25	.50	1.50	
koreana			.25	.50	1.50	2 00
purpurea (dichotoma) domestic seed				.35	.90	3.00
CALLISTEMON rigidus	.20		.55	1.50		
speciosus	. 20		. 55	1.50		
CALLUNA vulgaris, capsules				.20	.45	1.25
clean			.25	.75	2.25	6.50
vulgaris alba	.30					
CALYCANTHUS floridus				.15	.35	1.25
occidentalis				.30	.75	2.25
praecox, see Meratia						
CAMELLIA japonica, domestic seed				.25	.60	2.00
japonica, single flowered				.15	.35	1.00
japonica, double flowered, from choice collection				.35	.85	3.00
sasanqua, seed from fine collection, shades of white, rose,						
red, double and single				.15	.35	1.00
CARAGANA arborescens	0=			.15	.45	1.50
microphylla, true, Littleleaf Pea-Shrubsophoraefolia, Hybrid Pea-Shrub (arborescens x micro-	.25					
phylla)	.25					
CARPENTERIA californica	.23	.35	.95	3.00		
CARPINUS betulus		.33	.55		.25	.75
caroliniana				.15 .15	.35	1.00
laxiflora				.35	.75	2.50
CARYA, see Hicoria						2.00
CARYOPTERIS incana (mastacanthus) beautiful autumn						
flowering shrub with blue flowers	.20		.35	1.00		
white flowered	.20		.35	1.00		
pink flowered	.25		.65			
CASTANEA japonica (crenata)					.35	1.00
mollissima					.35	1.00
pumila					.25	.75
sativa					.15	.35
CATALPA bignonioides					.25	.75
bungei	.20			.55		
speciosa					.25	.65
CEANOTHUS americana	.25		.40	.15 1.25	.40	1.25
arboreusarboreus hybridus	.25 .25		.40	1.25		
azureus Gloire de Versailles	.20		.45	1.40		
cyaneus	.35		.43	1.40		
jepsoni	.20		.45	1.50		
sanguineus	.45		. 10	_,,00		
spinosus			.40	1.25		
thyrsiflorus			.20	.50		
velutinus	.45					
CEDRELA sinensis	.20)		.50	1.50	5.00

	nkt	1/16 oz.	1/4 07	07	1/. lb	lb.
CELASTRUS angulata latifolia, see description ahead	.20		.30	.90	/4 10.	10.
orbiculatus (articulatus), berries	0			.15	.30	1.00
clean				.25	.60	2.00
scandens, berries				.15	.30	1.00
clean				.25	.60	2.00
CELTIS australis				.15	.45	1.25
mississippiensis				.15	.40	1.50
occidentalis				.15	.45	1.29
CEPHALANTHUS occidentalis					.25	.85
CERATONIA siliqua				.20	.50	1.65
				.30		2.50
CERCIDIPHYLLUM japonicum				_	.70	
CERCIS canadensis	25			.25	.40	1.50
canadensis alba, white flowered Red Bud	.25			45	1 00	2 54
chinensis			.15	.45	1.00	3.50
occidentalis			.15	.35 .15	.85 . 25	3.00
siliquastrum				.13	.50	1.75
siliquastrum alba, white						
CHIONANTHUS virginica, clean				.20	.40	1.50
CINNAMOMUM camphora				.20	.50	1.50
CISTUS albidus	.20		.35	1.00		
laurifolius	.20		.35	1.00		
CITRUS trifoliata				.15	.45	1.25
CLADRASTIS (Virgilia) lutea, described ahead				.35	.85	3.00
CLEMATIS alpina		.25	.55			
armandi100 seeds, .35; 1000 seeds, 2.10						
chinensis	.25					
columbiana	.45					
coccinea		.25	.70	2.25		
coreana (Atragene coreana), yellow flowering Clematis						
of easiest culture, hardy everywhere			.40	1.25		
crispa			.30	1.00		
douglasi	.20	.40	1.20			
flammula				.20	.60	2.00
florida	.25	.35				
grata grandidentata, China	.25					
heracleifolia (davidiana) blue tube shaped flowers,						
fragrant			.25	.75		
integrifolia		.30	.95			
jackmani (floribunda or grandiflora) Hybrid Clematis,						
from large flowered Garden varieties		.25	.70	2.50		
jackmani double flowered	.20	.35	1.00	3.00		
ligusticifolia			.35	1.00		
macropetala, fine new large flowered Clematis, with						
flowers of violet-blue	.30					
meyeriana	.25					
montana grandiflora		.20	.50	1.50		
montana rubens		.20	.50	1.50		
orientalis (graveolens)		.20	.50	20	.50	1.75
paniculata, fall delivery				.20 .50	1.75	1.13
recta		05	.15		1.73	
recta mandshurica		.25	.75	2.50 .75	2 00	6.00
tangutica, with yellow flowers, fine new Clematis			.25	.75	2.00	0.00
texensis, see coccinea			50			
veitchiana, fragrant yellow flower		.20	.50			
viorna		.25	.70	20	.75	2.50
virginiana				.30 .15	.40	1.25
vitalba				.15	.50	1.75
viticella					.50	2
CLERODENDRON fargesi			.25	.75		
trichotomum, Glorybower, attractive in foliage, with				•••	FΛ	1.75
fragrant flowers and blue fruits, clean				.20	.50	1.73

CLETHRA alnifolia	pkt.	½6 oz.	1/4 oz.	oz.	¼ lb. .35	lb. 1.25
barbinervis, domestic seed			.20	.50	,,,,	1.20
fargesi, fine, large shrub, hardy here			.25	.45		
tomentosa, Woolly Clethra, native, hardy shrub excelling						
alnifolia in its vigorous, upright habit. All Clethra						
seeds germinate easily when sown on fresh, finely						
cut Sphagnum Moss			.25	.45		
COLUTEA arborescens				.15	.30	.85
CORNUS alba sibirica				.35	.75	2.50
alternifolia				.20	.50	1.50
amomum				.15	.35	1.00
clean				.25	.60	2.00
canadensiscontroversa, Chinese Pagoda Dogwood, clean				.35	.85	3.00
florida, Northern seed, dry berries				.25	.60 .15	.45
Northern seed, clean					.25	.80
florida, seed collected from red flowered plants			.20	.50	1.50	.00
kousa, Japanese Flowering Dogwood, clean				.15	.40	1.25
kousa chinensis, the hardier and more beautiful Chinese				•-		
form, clean				.45	1.20	4.00
mas				.15	,25	.75
nuttalli				.20	.40	1.35
paniculata				.20	.40	1.50
sanguinea, clean				.15	.35	1.25
stoloniferastolonifera flavirama (aurea or lutea) Golden-Twig Dog-				.15	.35	1.25
wood				.30	.75	2.50
CORONILLA emurus, fine, flowering shrub with akazia-like						
foliage			.25	.30	.85	3.00
glauca	.20			.45	1.30	4.50
CORYLOPSIS platypetala	.25		.50			
sinensis, handsome Chinese shrub	.20		.40	1.50		
CORYLUS americana					.25	.70
avellana				.15	.25	.65
avellana atropurpurea				.20	.50	1.45
colurna, Tree Hazel, a fine shade tree				.15	.35	1.25
maxima				.15	.30	1.00
COTONEASTER acuminata						
acutifolia, domestic, dry berries			.15	.45	1.25	1.85
imported, clean.				.40	1.15	3.85
adpressa			.20	.55	1.70	6.00
adpressa praecox	.20		.25	.60	2.00	0.00
ambigua	.25		.45	.30	.90	
apiculata	.25		.80	2.00		
bullata, clean			.15	.35	1.25	
bullata macrophylla			.35			
buxifolia, clean			.15	.40	1.50	
congesta, see microphylla glacialis						
conspicua decora, listed formerly as decora, Necklace						
Cotoneaster, new fine evergreen, prostrate species					~	_
with foliage like Lonicera nitida, red berries strung	0.0		~-		-	
along branches like beads in a necklace	.20		.35			
dammeridielsiana (applanata)dielsiana (applanata)	.25		.15	20	1 00	
dielsiana major, preferable to type			.15	.30	1.00 1.00	
divaricata			.13	.30 .25	.70	2.50
clean.				.40	.95	3.50
foveolata, described ahead			.20	.50	1.50	00
francheti				.30	.70	2.50
frigida			.20	.50	1.75	
				-		


COTONEASTER (continued)	pkg.	½ oz.	1/4 oz.	oz.	1/4 lb.	lb.
gracilis, slender branched dwarf Cotoneaster, 2 ft., upright habit, very attractive by its pendulous clusters of	25					
bright red fruitharroviana, evergreen	.25			.45	1 30	4.50
hebephylla	.25		.35	1.00		
horizontalis				.30	.75	2.50
cleanhorizontalis perpusilla	.20		.20 .35	.45 1.00	1.25	4.25
horizontalis wilsoni, see wilsoni.	.20			1.00		
lactea (parneyi) close to harroviana, a fine new evergreen Cotoneaster of arching habit, fine foliage and pro-			.20	.40	1.25	
fusely fruiting	.15		.20	.45	1.30	4.50
pinkish in clusters	.25					
microphylla, clean	45		.20	.50	1.50	
microphylla glacialis (congesta)moupinensis, clean	.45		.15	.40	1.00	3.50
multiflora			.15	.45	1.20	4.00
nitens			.25	.60	2.00	6.00
pannosa			.15	.45	1.00	3.50
parneyi, see lactea						
praecox, see adpressa racemiflora soongarica			.20	.45	1.25	4.00
racemiflora veitchi	.20			•••	1120	1.00
rosea			.20	.60	2.00	
salicifolia			.25	.50	1.50	4.50
simonsi	0.5			.55	1.25	4.50
tomentosa, clean	.25		.25	.60	2.00	6.00
zabeli		.15	.35	1.00	_,	
zabeli miniata, very similar to gracilis, as described above. A first class landscape plant	.25					
CRATAEGUS, for fall planting, fresh berries are available at special prices.						
aprica					.25	.75
arnoldiana					.25	.75
carrieri (lavallei)					.45	1.25
cleancoccinea, clean				.60 .20	1.65 .50	5.00 1.50
coccinoides				.20	.25	.75
cordata (phaenopyrum), fresh fruit					0	.65
dry berries				.15	.40	1.20
clean				.30	.75	2.50
crus galli, fresh fruit10 lbs., 2.50; 100 lbs., 19.50					.25	.30 .90
dry berriesclean				.25	.60	2.00
douglasi				.25	.60	2.00
macrantha, with large thorns					.25	.75
mollis, described ahead, dry berries					.25	.55
clean				.25	.45	1.25
nitida, described ahead, dry berries				.35	.25 1.00	.75 3.00
oxyacantha, English Hawthorn, two stone variety				.00	.45	1.25
oxyacantha monogyna, English Hawthorn, one stone						
variety, the English Hawthorn of Colonial Gardens					.25	.75
clean fresh domestic berries in season					.20	.50
persistens, with lustrous foliage and conspicuous orange-						
scarlet fruit lasting well into late fall				.20	.40	1.25
pinnatifida, clean				.15	.40	1.50
10						

	pkt.	1/8 oz.	1/4 oz.	oz.	1/4 lb.	lb.
CRATAEGUS (continued)						
prunifolia, described ahead, dry berries					.25	.75
clean seed				.25	.65	2.25
punctata, described ahead, fresh fruit10 lbs., 3.00 dry berries					.25	.75
clean				.20		1.50
punctata aurea				.20	.25	.75
succulenta					.25	.75
tomentosa					.25	.75
CYDONIA japonica, imported				.35	80	2.75
japonica, seed from Garden specimens of the tall flowering				•••		
Quince of Colonial Gardens, here collected			.20	.55	1.25	4.50
maulei (japonica pygmaea) Dwarf Quince				.15	.40	1.50
vedrariensis (japonica x maulei)			.25	.75		
CYTISUS albus, see multiflorus						
alpinus, see Laburnum						
austriacus,	.35					
battandieri, fine vigorous species with silvery foliage						
and laburnum-like flowers	.30)	.60			
capitatus, see supinus						
carlieri, fine new species of compact habit, yellow	.30)				
dallimorei	.30				•	
elongatus, to 3 ft., yellow flowers with brown marks	.35					
glabrescens, compact shrub, bright yellow flowers	.25		.50	1.50		
griesebachi	.25					
hirsutus (triflorus) to 2 feet, early flowering, clusters of	25		co	1 00		
buff flowers, very handsome Rock Garden shrub	.25		.60	1.80		
monspessulanus (candicans) Spike Broom, graceful semi-evergreen shrub up to 10 feet	.20		.50	1.35		
multiflorus, White Spanish Broom, to 5 and 8 feet,	.20		.50	1.55		
beautiful shrub				.45	1.00	3.50
multiflorus, White Gem, more compact, an improve-					2.00	0.00
ment on preceding	.20		.40	1.25		
nigricans, late flowering to 4 feet, of graceful habit			.20	.50	1.25	4.00
praecox, fine, early, cream color	. 35					
praecox alba, charming white	.20	.35				
procumbens	.35					
purgans, low compact shrub, yellow flowers	.35					
purpureus, dwarf procumbent to 18 inches, purple flowers	.25		.85	2.50		
ratisbonensis, described ahead						
10 seeds, .15; 50 seeds, .45				.15	.35	1.10
scoparius, the well known Yellow Broom			.15	.20	.40	1.50
scoparius strictus, a valuable form with stiff, erect			.13	.20	,40	1.00
branches			.15	.25	.60	2.00
scoparius, Garden Forms, charming garden plants de-						
serving widest attention, fine for the milder parts of						
the country, hardy with care in the North						
andreanus, bicolored flowers	.20		.65	2.00		
andreanus Hybrids, all shades from yellow to red	.25		.75	2.25		
Named Varieties:						
Donard Seedling, garnet and yellow	.20	.30				
Dorothy Walpole, velvety crimson	.20	.30			****	-
Fulgens, fine new variety, orange suffused						
crimson	.20	.30				
Mayfly, orange shaded buff	.20	.30	20	.50		
sessilifolius, fine, erect, shrub-like habit, yellow flowers supinus (capitatus)		.25	.20 .35	1.00	3.00	
· -		.23	.33	1.00	3.00	
DABOECIA polifolia	.50					
DAMNACANTHUS indicus, dwarf evergreen with holly-like						
foliage and bright red berries	.35					

DAPHNE cneorum	pkt.	¹∕16 oz.	1/4 oz.	oz.	1/4 Ib.	Ib.
50 seeds, .45; 100 seeds, .75; 1000 seeds, 6.00			05		4 50	
laureola, clean			.25	.60	1.50	4
mezereum, clean			.25	.55	1.25	4.50
mezereum (rubrum) from a garden strain with deep red						
flowers			.25	.60	1.50	5.00
mezereum album, white25 seeds, .25						
DASYLIRION longifolium			.20	.60		
DAVIDIA involucrata, Dove Tree, described ahead						
10 seeds, 1.50; 100 seeds, 10.00						
vilmoriana10 seeds, 1.50; 100 seeds, 10.00						
DECAISNEA fargesi		.20	.45	1.50		
DENDROMECON rigidum, Bush Poppy		.20	.35	1.35		
DEUTZIA gracilis			.25	.75		
laxiflora schneideriana	.25					
scabra				.25		
scabra crenata				.25		
scrabra crenata, double flowered			.25	.75		
vilmorinae, fine floriferous, large-flowered Hybrid	.25	.60	1.50			
DIERVILLA, see Weigela						
DIOSPYROS Kaki				.15	.25	.7
lotus				.15	.25	.7
virginiana				.10	.20	.6
				.10	.20	.0.
DISANTHUS cercidifolius, Japanese shrub close to Hama-	90		20	co	2 00	
melis, fine Autumn color, claret red, suffused orange	.20		.30	.60	2.00	
DORYCNIUM hirsutum, fine Rock-garden shrublet, white-						
hairy foliage, white flowers, one of the real dwarfs,						
hardy here	.25					
EDGEWORTHIA chrysantha, handsome sweet-scented						
shrub from China	.30			.50	1.50	
ELEAGNUS angustifolia				.15	.25	.7
argentea, native Silver-Berry, one of the hardiest native						
shrubs, with a silvery foliage and berries				.25	.60	2.00
longipes, clean				.35	.95	3.25
umbellata, extremely rugged and ornamental, resistant						
to wind and exposure				.20	.60	2.00
ELSHOLTZIA stauntoni, clean		.15	.25	.65		
		.10				
EMBOTHRIUM coccineum, Fire Bush, magnificent ever-						
green shrub or small tree, equal to the finest of Rho-						
dodendrons, spring flowering, with brilliant scarlet						
flowers, for the milder part of U. S. A. only						
100 seeds, .65; 1000 seeds, 3.00						
ENKIANTHUS campanulatus, domestic seed		.25	.45	1.25		
campanulatus albiflorus		.20	.50	1.50		
campanulatus palabini, with red flowers		.20	.50	1.50		
cernus rubens		.25	.45	1.50		
deflexus	.25	.35			•	
subsessilis	.25	.35				
EPIGAEA repens, Mayflower or Trailing Arbutus, New Eng-						
land seed	. 25					
	. 20			95	70	2 -
ERICA carnea, Spring Heath				.25		2.5
cinerea, clean			.20	.40	1.25	
cinerea alba	.25					
Iusitanica	.25					
mediterranea	.25					
scoparia			.20	.40	1.25	
stricta	.25					
tetralix, Rose Bell Heather	.35					
Vagans	.25					
vagans alba	.25					
vagans St. Keverne	.25					
	.23					
vulgaris, see Calluna						
RIOBOTRYA japonica, highly ornamental foliage, edible				20	40	1 =4
fruit				.20	.40	1.50

	pkt.	1/6 07	1/4 07	07.	1/4 lb.	lb.
ERYTHRINA cristi-galli100 seeds, .85; 1000 seeds, 5.50	.20	/16 UZ.	74 02.	02.	74 10.	ID.
ESCALLONIA floribunda	.25					
EUONYMUS alatus	,			.20	.45	1.50
americanus				.20	.45	1.50
atropurpureus (Wahoo)				.25	.60	2.0
bungeanus, described ahead				.35	.75	2.50
bungeanus pendulus, Weeping Euonymus			.20	.50	***	
europaeus, clean, the true strain from Europe				.20	.45	1.5
grandiflorus	.20			.50		
latifolius, clean				.20	.50	1.75
oxyphylla				.35	1.00	
patens, described ahead	.20		.60	.50	1.00	
planipes, described ahead	.25		.75			
radicans	.23		.,,	.35	.75	2.5
sachalinensis, conspicuous in foliage and fruit, clean				.40	1.00	3.5
sieboldiana				.30	.85	2.0
yedoensis, fine ornamental Euonymus, most beautiful				.50	.00	2.0
			.20	.55	1.35	5.00
with its heavy crops of scarlet fruit, domestic seed			.20	.20	.50	1.7
XOCHORDA grandiflora				.20	.50	1.7
USCAPHIS japonica, handsome feathery foliage and bright	90		95	75		
colored pod-like fruits and steel-blue seeds	.20		.25	.75	40	1 0
AGUS americana				.15	.40	1.2
sylvatica				.15	.25	.7
sylvatica purpurea				.20	.55	1.6
ONTANESIA fortunei	.25			0.00		
OTHERGILLA major, described ahead	.35		.65	2.00		
monticola, described ahead	.35		.65	2.00		
RANKLINIA (Gordonia) alatamaha, described ahead						
10 seeds, .65; 100 seeds, 5.50						
RAXINUS americana					.20	.6
excelsior				.15	.25	.75
lanceolata					.20	.75
mandschurica				.35	.75	2.5
nigra (sambucifolia)				.15	.40	1.5
oregona				.20	.50	1.75
ornus				.15	.25	.7
pennsylvanica				.15	.25	.95
quadrangulata				.15	.40	1.50
retusa, Chinese Flowering Ash, attractive by purple						
fruits in summer	.35					•
velutina	.00			.20	.60	2.00
REMONTIA californica	20		25	1.25	.00	2.00
	.20		.35			
mexicana	.30		.55	1.75		
ARDENIA florida	.20			.35	1.25	
AULTHERIA ovatifolia	.35					
procumbens			.20	.45	1.20	3.75
shallon			.20	.45	1.20	4.25
AYLUSSACIA baccata			.20	.35	.80	2.85
ENISTA aetnensis			.15	.30	.90	3.00
alba, see Cytisus multiflorus						0.00
anglica	.30					
candicans, see Cytisus monspessulanus	.50					
germanica, to 2 feet, bears spines, one of the hardiest			.15	50	1.20	
bi-marica, to 2 feet, bears spines, one of the nardiest			.13	.50	1.20	
hispanica, recommended for dry banks, exposed to full	0.5					
sun, forming dense cushion-like bolsters, 2 feet high.	.25					
monosperma, to 4 feet, fine species for mild climate, with			00			
white flowers.			.20	.50		
pilosa, dwarf trailing, forming a little tree to 18 inches high	.30					
radiata, dense shrub to 3 feet	.20		.25	.75		
sagittalis, a low spreading plant for rock gardens	. 25					
tinctoria, shrub to 2 feet, late flowering, the best known						
and most widely planted				.30	.75	2.25
22						

						===
	nkt	¹∕₁6 oz .	1/4 07	07	1/, IL	lb.
GINKGO biloba, domestic seed	prt.	716 UZ.	74 02.	02.	.20	.50
GLEDITSIA japonica (horrida)				.15	.40	1.25
macrantha, with large spines				.20	.45	1.50
				.20	.50	1.75
sinensis						
triacanthos				.15	.25	.85
triacanthos inermis				.15	.30	1.00
GYMNOCLADUS dioica				.10	.23	.75
HALESIA diptera				.30	.75	2.25
monticola, the finest of native Silver-bells				.45	1.00	3.50
monticola rosea, with pink flowers10 seeds, .35						
tetraptera				.20	.35	1.00
HALIMODENDRON halodendron (argenteum)			.30	.85	2.00	
HAMAMELIS japonica			.15	.30	.90	3.00
mollis, seed from domestic garden specimens	.20		.50			
vernalis, seed from New England garden specimens	.20		.25	. 65		
vernalis tomentella, preferable for its smaller size	.20		.35	1.00		
virginiana				.20	. 50	1.75
HEDERA helix				.15	.35	1.25
HESPEROYUCCA whipplei				.45	1.20	4.00
HIBISCUS sino-syriacus, new Chinese species	.35					
syriacus, all colors				.15	.40	1.25
from double flowered plants				.25	.60	2.00
HICORIA (Carya), large quantities priced on request						
alba (tomentosa)						.20
cordiformis (amara)						.25
glabra (porcina)						.25
laciniosa						.20
ovata (alba)						.20
ovata, Northern seed						.35
pecan						.30
pecan (olivaeformis), hardy Northern						.35
HIPPOPHAE rhamnoides, clean				.20	.50	1.75
HOLODISCUS discolor (Spiraea ariaefolia) handsome native				0	.00	1
				.35	.75	2.50
shrub HOVENIA dulcis				.25	.60	2.00
HYDRANGEA petiolaris, domestic seed only		.35	1.00	3.00	.00	2.00
		.33	.20	.55		
HYPERICUM (fine seeds, sow on Sphagnum Moss) aureum.	25		.20	. 33		
calycinum, evergreen ground-cover plant	.25					
densiflorum, fine hardy native shrub	.25					
forresti, extremely floriferous, brilliant Fall coloring	.25					
kalmianum	.25		4 00			
patulum grandiflorum	.20	.30	1.00			
patulum Henryi, this and the former are fine ground-						
cover plants with attractive foliage and large yellow						
flowers	.20	.30	1.00			
polyphyllum, prostrate sub-shrub, fine for reckeries	.25					
prolificum, fine hardy shrub, most vigorous of the native						
Hypericums	.25	.75				
IDESIA polycarpa	.20			.35	1.00	
ILEX aquifolium, domestic, French strain				.15	.35	1.25
imported, clean				.15	.35	1.20
cornuta, Chinese Holly, clean			.15	.45	1.00	3.50
crenata, imported, clean				.20	.40	1.50
domestic, berries				.25	.60	2.25
decidua				.25	.40	1.50
dubia macropoda, domestic				.30	.75	
glabra, New England seed, a hardy strain				.25	.55	2.00
integra				.20	.40	1.50
latifolia, clean				.45	1.00	2.50
micrococca, new Oriental species, red fruit in dense						
clusters	.35					
monticola	.50			.25	.60	2.00
nemotoi	.20		.35	.75		
***************************************	•20					



		14	1/		1/, 1L	11.
ILEX (continued)		1/16 oz.		oz.	7/4 Ib.	lb.
oldhami	.20		.35	•		- 05
opacaclean				.20	.35 .60	1.25 2.00
opaca, true Northern, berries			.20	.35	1.00	2.00
pedunculosa, clean				.25	.60	2.50
pedunculosa continentalis, the Chinese form, appar-						
ently hardier than preceding				.25	.60	2.50
serrata (sieboldi)verticillata, New England seed				.20	.55 .35	2.25 1.00
vomitoria				.20	.40	1.50
wilsoni, Chinese form of Ilex aquifolium	.25			.35	1.00	
LLICIUM anisatum			.20			
NDIGOFERA dosua	.20		.40	1.25		
kirilowi JASMINUM fruticans			.20 .25	.45 .65	1.25	
UGLANS, large quantities priced on request			.23	.03		
californica hindsi						.25
cinerea						.20
cinerea, New England seed						.30
mandshurica						1.20
and most Northern strain of Walnuts						1.50
nigra						.18
New England or Prairie States seed						.30
regia						.45
regia sinensis						.65
sieboldianasieboldiana cordiformis						.75 .75
KADSURA japonica			.25	.75		.,,
ALMIA angustifolia, clean		.20	.45	1.50		
latifolia, clean			.25	.75	2.65	
latifolia, New England seed, clean	0.7	.25	.60	2.00		
polifolia KERRIA japonica	.25			.35	1.25	4.50
KOELREUTERIA paniculata				.15	.30	1.00
OLKWITZIA amabilis, clean	.20		.35	.85	2.50	8.00
ABURNUM alpinum, seed from Alps				.15	.45	1.50
Northern seed, Scandinavia				.25	.75	2.50
vulgareAUROCERASUS caroliniana				.15	.35 .25	1.25
lusitanica				.20	.50	1.50
officinalis.				.20	.50	1.50
AURUS nobilis				.15	.30	1.00
EDUM glandulosum	.50					
groenlandicum	.50 .45					
latifolium	.43			•		
green shrub	.35					
ESPEDEZA bicolor alba				.15	.45	1.35
rosea				.15	.40	1.25
formosa (japonica)				.15	.35	1.00
formosa albiflora		.15	.35	.20 1.00	.50 3.50	1.75
racemosum		.20		1.50	3.50	
EYCESTERIA formosa, clean		.20		2.00		
JGUSTRUM amurense				.15	.40	1.25
ibota					.20	.65
japonicum lucidum				.15	.25	.75
vulgare, clean				.15 .15	.25 .35	.75 1.25
IQUIDAMBAR styraciflua				.40	1.00	3.50
LIRIODENDRON tulipifera				.15	.25	.75

. Jamaica Plain, Mass.

	mlet	1/16 oz.	1/		1/ 11-	11.
LOISELEURIA procumbens	.85	% OZ.	74 0 ₹.	oz.	7 ₄ 1D.	lb.
LONICERA alpigena	.25			.75	2.25	
caprifolium, the original old English "Honeysuckle,"	.20			.13	2.20	
a fine climber with creamy flowers of great fragrance.	.20			.25	.75	2.50
japonica halliana	.20			.50	1.45	4.50
maacki, beautiful in flower and fruit			.20	.40	1.25	1.00
modesta, new species from China, abundance of pink			0	. 10	1.20	
flowers before foliage	.35					
morrowi			.20	.40	1.25	
periclymenum, the original English "Woodbine"	.25		.20	.10	1.20	
ruprechtiana, a fine new species	.20			.40	1.25	
tatarica, clean	.20			.40	1.25	3.80
xylosteum, clean				.25	.55	1.75
YCIUM chinense			.25	.65	2.00	2
LYONIA ligustrina		.20	.50	1.50		
MAACKIA amurensis				.35	.90	3.00
MACLURA pomifera				.15	.35	1.25
MAGNOLIA acuminata				.20	.50	1.75
conspicua (denudata or Yulan)				.60	1.65	5.00
fraseri				.55	1.35	4.50
glauca				.25	.60	2.00
grandiflora				.20	.40	1.50
hypoleuca (obovata)				.35	.85	2.75
kobus				.35	.85	2.75
liliflora (purpurea)				.55	1.35	4.50
macrophylla				.45	1.00	3.50
soulangeana				.50	1.25	4.50
tripetala				.20	.45	1.50
MAHONIA aquifolium, clean				.30	.65	2.00
aquifolium gracilis			.20	.45	1.25	
japonica (bealei)				.35	.75	3.25
nervosa	.45			.35	1.00	
pumila	.35					
repens				.35	.95	3.00
clean			.20	.50	1.50	
MALUS baccata (sibirica) domestic dry pomes				.35	.75	2.50
baccata mandshurica, domestic dry pomes				.35	.75	2.50
coronaria, clean				.45	1.20	4.00
ioensis, described ahead			.25	.75	2.50	
prunifolia rinki (ringo)			.25	.65	2.00	
robusta (baccata Hybrid), Cherry Crab, description on						
page 11, dry pomes				.35	.95	3.00
robusta persicifolia, Peach Leaf Cherry Crab			.25	.65	2.00	
sargenti, dry pomes			.20	.50		
sieboldi, clean	.20			.50	1.45	4.50
sieboldi arborescens, dry berries	0			.30	.75	2.25
theifera, domestic dry pomes			.20	.35	.75	2.50
imported, clean			.25	.65	2.00	
toringoides, Cutleaf Crab, in fruit (resembling Napoleon				•••		
Cherries) one of the handsomest of Crab-Apples,						
dry pomes			.25	.65	2.00	
	.20		.23	.50	1.35	4.50
zumi, čleanzumi calocarpa (sieboldi caloca), dry pomes	.20		.20	.50		
			.20		25	1.25
AELIA azedarach				.15 .20	.35 .50	1.75
azedarach umbraculiformis					.40	1.75
japonica, with fragrant flowers of lilac-color				.15	.40	1.50
MELIOSMA stewardi, white flowers, bright red fruit in						
clusters	.35					
MERATIA praecox (Calycanthus praecox) fine garden shrub,						
Spring flowering, fragrant				.25	.75	2.50
praecox grandiflorus			.20	.50	1.50	
MESPILUS germanica				.20	.50	1.75

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
MORUS alba	-			.20	.40	1.50
alba moretti, large foliage			.20	.50	1.75	1.50
alba tataricanigra, for dry sandy soil				.15	.40 1.00	1.50
rubra				.45	1.05	3.50
MYRICA californica, California Bayberry, ornamental shrub						
with conspicuous fruits, for dry sterile sand	.20			.40	1.25	4.00
carolinensis				.15	.35	1.25
cerifera				.15	.40	1.50
MYRTUS communis, clean				.30	.75	2.50
NANDINA domestica, American seed				.15	.40	1.50
NEMOPANTHUS mucronatus				.45	1.00	3.50
NYSSA sylvatica				.15	.35	1.00
OLEA europaea				.15	.40	1.25
ONONIS fruticosa	.30					
natrix	.30					
OSTRYA virginica				.25	.60	2.00
OXYDENDRON arboreum				.15	.40	1.25
arboreum, clean		.15	.25	.75		
PAEONIA suffruticosa (moutan) from wild plants	.20			.75	2.00	6.50
suffruticosa from garden collections	.25			.95	2.50	8.50
PALIURUS spina christi (aculeatus)				.15	.40	1.25
PASSIFLORA incarnata				.20	.40	1.20
PAULOWNIA tomentosa				. 35	.85	2.75
PERIPLOCA graeca	.25					
PHELLODENDRON amurense				.35	.85	2.75
PHILADELPHUS coronarius, clean			.20	.35	1.00	
gordonianus	.35					
grandiflorus, clean			.20	.50	1.50	
incanus sargentianus, from China, late flowering Mock- Orange	.35					
lewisi	.45					
virginalis	.50	.75				
PHILLYREA angustifolia				.30	.65	2.00
PHOTINIA (Heteromeles) arbutifolia				.20	.40	1.50
glabra			•	.40	.95	3.00
serrulata				.75	2.00	6.00
villosa, clean				.20 .20	.60 .50	2.00 1.75
domestic fruit				.40	.95	3.00
PHYSOCARPUS (Spiraea) opulifolius, clean			15			
PIERIS floribunda, cleanjaponica, clean		.15	.15 .25	.60	1.25 1.75	4.50 5.00
mariana, fine hardy shrub, clean		.15	.25	.60	1	0.00
PLATANUS occidentalis					.25	.75
orientalis					.25	.75
POINCIANA gilliesi, see under Caesalpinia						
POLYGONUM auberti	.30				-	
baldshuanicum	.30					
POTENTILLA fruticosa	.25	.50	1.50			
tridentata	.25	.50	1.50			
PRUNUS allegheniensis10 seeds, .25; 100 seeds, 1.50						
americana, clean				.15	.25 .40	.80 1.50
angustifolia, Chickasaw Plumavium, see Mazzard, Part I				.20	.40	1.50
besseyi, Western Sandcherry, clean				.25	.60	2.25

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
PRUNUS (continued)				= 0		
capuli, Ecuador Cherry, quite hardy			.20	.50		
caroliniana, see Laurocerasus				25	.70	2.50
demissa melanocarpa (virginiana melanocarpa), clean				.25 .20	.40	1.50
ilicifolia				.35	.95	3.00
incisa, clean				.15	.40	1.50
lannesiana, cleanlyoni (integrifolia) Catalina Cherry				.15	.40	1.50
mandshurica, clean				.20	.40	1.50
maritima, New England seed				.15	.30	1.00
mume, clean				.25	.40	1.50
nigra, clean				.20	.40	1.50
padus, clean				.20	.40	1.50
pennsylvanica				.20	.50	1.75
salicina (triflora)				.20	.40	1.50
serotina				.15	.25	.70
clean				.20	.50	1.65
serrulata, clean				.20	.50	1.75
serrulata sachalinensis, clean				.25	.60	2.00
serrulata spontanea, Chinese flowering Cherry, clean				.30	.75	2.50
spinosa, clean				.15	.35	1.25
subhirtella, clean				.35	.85	2.75
subhirtella pendula, clean				.40	.95	3.25
tomentosa, clean				.45	1.10	3.50
triloba, clean				.25	.60	2.00
virginiana, clean				.15	.30	1.00
yedoensis, clean				.35	.85	2.75
See Part I for other Prunus.						
PTELEA isophylla				.20	.45	1.50
trifoliata				.15	.35	1.20
PTEROCARYA caucasica				.40	1.00	3.00
PUERARIA thunbergiana				.15	.35	1.25
PYRACANTHA coccinea				.15	.35	1.25
coccinea lalandi, hardy strain, here collected				.20	.50	1.75
formosana			.35	1.00		
PYRUS betulaefolius, an ornamental pear with attractive						
foliage and white flowers, a small tree of graceful habit			.20	.50	1.50	5.00
See Part I for other Pyrus.						
QUERCUS, all Oak seed should be ordered as early as possible						
in the fall. Quercus rubra and other domestic va-						
rieties are being stored for spring planting. Ask for						
quantity prices.						
alba10 lbs., 1.50						.20
alba, New England						.35
agrifolia						1.00
bicolor						.20
borealis, see rubra ambigua						
chrysolepis						.45
coccinea, when you purchase seed of the Scarlet Oak						
from us you will receive Quercus coccinea Muenchh						
and nothing else.						25
Northern only						.25 .35
coccinea, hand-selected export grade10 lbs., 3.00						.35 .35
falcata, Southern Red Oak						.35
ilicifolia, Northern only						.60
imbricaria						.45
kelloggi						.35
lyrata						.20
macrocarpa, Northern only						.25
palustris, Northern only						.30
phellos						.35
robur						.20
rubra						

	pk	t. 1∕16 c	z. 1/4	oz. o	z. ¼ li	b. lb.
QUERCUS (continued) rubra, hand-selected						.25
rubra ambigua (borealis) large seeded Northern Red						
Oak10 lbs., 2.50						.25
rubra ambigua, hand-selected10 lbs., 2.00						.30
velutina						.25
Acorns of Quercus rubra are of surprising vitality, requiring very little moisture for germination.						
We have planted these with good success as late as						
July, without irrigation.						
Acorns are available for fall, winter and spring planting						
as far as stocks permit.						
RHAMNUS alnifolia	.25					
caroliniana, clean				.15	.40	1.35
cathartica, clean				.20 .20	.55 .45	1.75 1.50
davuricafrangula, clean				.15	.40	1.25
purshiana				.20	.45	1.50
RHEDERODENDRON macrocarpum, a new tree of the						
Styrax family, recently discovered in West China						
and named after Prof. Alfred Rehder of the Arnold						
Arboretum, flowers similar to those of the Silver Bell,						
but larger and pinkish, in dense clusters, fruits woody,						
larger than an egg						
RHODORA, canadensis (see Rhododendron canadensis) RHODODENDRON ambiguum, yellow	.50					
anthopogon	.50	1.00				
arboreum	.15	.30	.50	1.50		
arboreum type, pink flowers	.50	1.00				
arboreum, red flowers	.50	1.00				
argenteum aucklandi (griffithianum)	.50 .50	1.00 1.00				
barbatum	.50	1.00				
californicum		.15	.40	1.25		
californicum, white	.35					
campanulatum	.45	1.50				
campylocarpum	.50	1.00		2 00		
canadensis (Rhodera can.)carolinianum, New England seed	.20	.45 .15	1.00	3.00 1.00		
carolinianum album, New England seed	.20	.30	.60	2.00		
catawbiense, New England seed from garden plants		.15	.35	1.00		
catawbiense compactum		.20	.40	1.25		
ciliatum	.60					
cinnabarinum	.50	1.00	.85	3.00		
dahuricumdalhousiae	.15 .50	.35 1.00	.03	3.00		
decorum	.50			-		
falconeri	.50	1.00				
ferrugineum	.15	.20	.50	1.50		
fortunei	.25	.45	1.15	3.50		
glaucum	.50	1.00				
grandehirsutum	.50 .20	1.00	.80	2.25		
lepidotum	.50	1.00		2.20		
mariesi	.25	.75	2.00			
maximum		.15	.30	1.00		
maximum, seed from a number of large flowered garden						
specimens	75	.20	.65			
metternichi micranthum	.75 .65					
minus (punctatum), New England seed	.25	.50	1.50			
A CONTRACTOR OF THE PROPERTY O	.15	.35	.50	2.50		
mucronulatumponticum, from a choice, hardy strain of Northern Europe	.15	. 33	.00	2.50		

	pkt. 1/16 oz. 1/4 oz.			oz.	¼ lb.	lb.
RHODODENDRON (continued)		-			_	
ponticum, for understock		.25	.60	1.75		
punctatum, see minus						
racemosum	.75					
racemosum oleifolium	.75	1.05				
smirnovithomsoni	.50 .75	1.25				
yunnanense	.75					
RHODODENDRON HYBRIDS	. 13					
arboreum Hybrids	.20	.35	1.00	3.00		
carolinianum x racemosum, charming new race, a			1.00	0.00		
dwarf Carolinianum-bright pink flowers before						
Carolinianum	.50					
catawbiense Hybrids, New England seed		.25	.75	2.50		
catawbiense x metternichi	.50					
ponticum hybrids	.50					
RHODOTYPOS kerriodes				.15	.40	1.50
RHUS canadensis				.15	.30	1.00
copallina				.15	.30	.85
cotinus				.25	.65	2.10
glabra					.20	.60
integrifolia	.20			.55	1.00	3.50
laurina	.20			.55	1.00	3.50 4.00
ovata	.20			.65	1.20	.75
typhina			.25	.85	.25 2.50	.73
fasciculatum, described ahead			.30	.90	2.30	
sanguineum, clean			.35	1.00		
ROBINIA pseudoacacia			.55	1.00	.20	.55
pseudoacacia bessoniana				.20	.40	1.50
pseudoacacia inermis, Thornless Locust				.25	.60	2.00
pseudoacacia pyramidalis, Shipmast Locust				.20	.50	1.75
viscosa, pink flowering Locust				.30	.85	2.75
ROMNEYA coulteri, Matilija Poppy, striking half-shrub						
with glaucous foliage and large white Poppy flowers	.25		.65	2.10		
ROSA acicularis, a native rose from the extreme North			.15	.25	.65	
acicularis nipponica			.20	.50	1.50	
banksiae (banksiana)	.25				25	1.05
blanda			1.5	.15	.35	1.25
californica			.15	.35 .15	1.25 .25	.75
canina, cleancathayensis	.25			.15	.23	.13
dahurica	.23			.25	.60	2.00
ecae (primula) described ahead				.23	.00	
10 seeds, .20; 100 seeds, 1.50						
gentiliana, rambler, with ornamental foliage, white frag-						
rant flowers in clusters	.35					
gymnocarpa	.45					
helenae	.15		.35			
hugonis	.25					
humilis				.15	.45	1.35
laxa (froebeli), a hardy rose for stock				.25	.55	1.75
lucida (virginiana)				.15	.30	.95
lucida, clean				.60	1.35	5.00
lucida (virginiana) alba, white flowered Meadow Rose	.35					
maximowicziana				.40	.95	
microcarpa	.25				65	7 F
multiflora, domestic hips				.15	.25	.75 1.00
multiflora, thornless, hips				.15	.35	.65
multiflora, imported clean					.25	.00
multiflora nana, Baby Rose, starts flowering three months after sowing100 hips, .50; 1000 hips, 3.25						
nitidanitida				.20	.40	1,00
nutkana	.45			.20	20	1.00
90	*49					

			·		==
	pkt. 1/16 oz	. 1/4 oz.	oz.	1⁄4 lb.	lb.
ROSA (continued)					
palustris			.15	.35	1.00
pisocarpa			.20	.50	
rubiginosa			.20	.50	1.00
rubiginosa, clean			.15	.40	1.50
rubrifolia, clean			.30	.70	2.25
rugosa, clean domestic seed			.15	.35	1.00
rugosa alba, hips			.25	.60	2.00
rugosa hybrid, "Snow Midget" dwarf, double white,		.15	.40	1.50	
sericea	.25	.50	.40	1.50	
setigera, hips.	.23	.50	.15	.35	1.25
clean			.30	.70	2.50
setigera tomentosa			.20	.50	2.00
spinosissima, an old time garden jewel of extreme					
hardiness			.25	.60	2.00
spinosissima altaica		.30	1.25		
suffulta (pratincola) a native rose from the extreme North		.15	.30	.80	
villosa (pomifera) very large apple-like fruits, fine for					
preserves, clean			.20	.40	1.50
wichuriana, clean			.15	.35	1.00
RUSCUS aculeatus			.20	.40	1.50
racemosus			.20	.50	1.75
SAMBUCUS canadensis			.15	.35	1.25
coerulea		.15	.30	1.00	
nigra, clean			.20	.40	1.50
racemosa, clean			.25	.75	2.50
SAPINDUS mukorossi			.25	.60	2.00
SAPIUM sebiferum, Chinese Tallow-Tree, planted for its					
brilliant fall coloring			.25	.60	
SARCACOCCA chingi, fine evergreen ornamental of Box					
family, yellow flowers, purple fruit	.35				
SASSAFRAS variifolium			.20	.35	1.00
SCHINUS molle			.15	.35	1.25
SCHIZANDRA chinensis				.25	.75
SCHIZOPHRAGMA hydrangeoides			.35	1.20	4.50
SHEPHERDIA argentea			.25	.70	2.50
canadensis			.30	.95	3.50
SKIMMIA japonica			.40	.85	2.75
SMILAX rotundifolia, described ahead			.20	.40	1.25
SOPHORA japonica			.15	.25	.75
pendula			.15	.30	1.00
secundiflora, fine Mexican S. violet flowered		.25	.60	2.00	2.00
vicifolia, graceful shrub, hardy north		.20	.50	1.50	
SORBARIA sorbifolia	.15	.35	1.25		
SORBUS americana	,,,,		.20	.45	1.50
aria, clean			.30	.75	2.50
aucuparia				.25	.75
clean			.35	.95	3.25
scandica, clean		.15	.35	1.00	
sitchensis, Western Mountain Ash, clean			.60	1.35	5.00
SPARTIUM junceum			.15	.35	1.25
SPIRAEA douglasi			.30	.80	2.50
tomentosa, native shrub with deep rose flowers, good					
"filler" plant in landscape work			.30	.80	2.50
trichocarpa, a fine hardy garden shrub, easily raised					
from seed, domestic seed		.25	.75		
STACHYURUS chinensis, a handsome early flowering shrub	.30				
STAPHYLEA bumalda			.30	.70	2.25
pinnata			.15	.25	. 90
trifolia			.20	.50	1.75

	pkt.	1/6 OZ.	1/4 oz.	OZ.	1/ ₄ lb.	lь.
STEPHANANDRA chinensis, new Chinese species, graceful	r	/10 OM*	/4 024		/4	
spreading shrub with finely cut foliage and creamy-						
white flowers in slender clusters, in June	.25					
STEWARTIA gemmata, Mayflowering species from China,	0					
conspicuous by its brown bark in winter	.30					
monadelpha			.25	.75	2.50	
pentagyna			.23	.40	.90	3.00
pseudocamellia			.20	.65	2.00	5.00
serrata			.25	.75	2.50	
sinensis, rose-tinted flowers in June	.30		. 25	. 73	2.50	
STRANVESIA davidiana				50	1 50	
	.20			.50	1.50	1 50
STYRAX americana				.20	.45	1.50
calvescens, from China, shining green leaves, pale orange				1 00		
flowers	.20		.35	1.00		
japonica				.15	.35	1.00
obassia				.25	.55	1.75
officinalis			.15	.45	1.25	
philadelphoides, from China, large white fragrant						
flowers, similar to those of the Mock-Orange	.20			.45		
SYMPHORICARPOS chenaulti				.50		
racemosus, clean				.40	1.10	3.50
vulgaris				.15	.35	1.10
SYMPLOCOS paniculata (crataegoides), imported, clean				.25	.60	2.00
domestic, dry berries				.25	.75	2.50
SYRINGA amurensis, clean			.25	.75	•••	
dilatata, clean			.20	.50	1.50	
henryi lutece, described ahead	.25		.45	.50	1.50	
japonica	.23		.25	.75	2.00	6.00
	0.5				2.00	6.00
josikaea, true stock	.25		.35	1.00		
josikaea rosea, described aheadtrade pkt., .35						
microphylla, a much favored Chinese species, small						
shrub to 5 feet, flowers pale lilac in June and again						
in late Summer, clean			.25	.65	2.25	7.00
oblata, clean			.20	.50	1.50	5.00
palibiniana early flowering species from Korea, elegant						
shrub with lilac-mauve flowers, clean			.20	.60	1.65	6.00
pinetorum			.30	1.00		
pubescens			.30	1.00		
reflexa	.50					
villosa, clean			.25	.50	1.50	5.00
vulgaris, clean				.35	.75	2.50
white, clean				.45	.95	3.00
white double flowered			.30	1.00		
red, double flowered			.30	1.00		
collected from Charles X, red			.35	.85		
			.55	.03		
French Hybrids, saved from choice domestic collec-			20	٣.	1 25	E 00
tion of named varieties, clean			.20	.50	1.35	5.00
TAMARIX gallica	.35			.20	.60	2.00
TERNSTROEMIA japonica				.35		
THEA sinensis				.15	.30	1.00
TILIA americana				.15	.30	1.00
argentea, see tomentosa						
cordata (parvifolia)				.15	.25	.30
platyphyllos				.15	.25	.90
tomentosa				.15	.25	.90
TRIPTERIGIUM regeli				.40	1.50	
ULEX europaeus				.20		2.00
europaeus nanus				.30	.90	3.00
ULMUS americana						.60
hollandica, described ahead				.25	.60	1.85
pumila, domestic				.25		2.00
UMBELLULARIA californica, California Laurel, one of the				.43	.00	2.00
				or	75	2.50
finest of American Evergreens, fairly hardy				.25	.75	2.30

VACCINIUM atrococcum	pkt.	1/16 oz. 1/4 oz.	oz. ,50	1/4 lb. 1.50	lb.
corymbosum		.20	.35	.90	3.00
corymbosum, from large fruited, cultivated varieties, such as Pioneer, Rubel, Cabot. These are planted for					
their delicious fruit			.50	1.50	5.00
macrocarpa	45		.20	.45	1.50
ovatum	.45				
parvifolium, Red fruited Blueberry of Red Wood forests	.45		0.5	00	2 00
pennsylvanicum			.35	.90	3.00
vacillans			.35	.90	3.00
vitis idaea, fine rock garden and ground cover plant on					
poor soil, with red berries	.20	.40	1.30		- 00
VIBURNUM acerifolium			.15	.30	1.00
alnifolium			.25	.55	1.75
americanum			.25	.55	1.75
betulifolium, described ahead	.35				
carlesi, clean			.40	1.10	3.50
cassinoides			.15	.35	1.25
dentatum			.15	.20	.75
dilatatum, domestic			.15	.35	1.25
seed from Japan, clean			.20	.40	1.50
erosum		.20	.60		
furcatum, Chinese Hobble-Bush			.35	.75	2.50
hupehense	. 30				
ichangense from China, with handsome foliage, white					
flowers and red fruits	.20	.35	1.00		
lantana			.15	.40	1.50
lentago			.15	.35	1.25
molle			.25	.60	2.00
nudum			.20	.40	1.50
odoratissimum, clean			.25	.60	2.00
opulus, clean			.20	.40	1.50
prunifolium			.20	.40	1.50
rhytidophyllum			.25	.65	2.50
sargenti, domestic			.25	.60	2.00
setigerum, from China, upright shrub of neat habit with					
large glossy handsome leaves and ornamental bright					
orange fruits	.20	.30	1.00		
sieboldi, clean			.20	.40	1.50
tinus, clean			.15	.40	1.50
tomentosum, clean			.30	.70	2.50
wrighti			.25	.65	2.25
VITEX agnus castus			.15	.40	1.50
white			.25	.60	2.00
macrophylla	.15		.30	.75	2.50
negundo incisa	.15		.25	.60	2.00
VITIS aestivalis			.25	.60	2.00
amurensis			.25	.55	1.75
coignetiae			.25	.55	1.75
cordifolia			.20	.35	1.75
davidi, handsome Grape from China, branches armed					
with soft prickles, large foliage, brilliant red fall					
coloring	.25	.35		Person	
labrusca			.25	.65	2.25
labrusca, Concord variety, delicious table fruit			.35	1.00	3.25
rotundifolia			.30	.75	2.50
titanea, with large lustrous leaves	.20	.35	1.25		
vulpina (odoratissima or riparia), described ahead			.35	.75	2.50
WEIGELA grandiflora	.20	.25	.75		
praecox, fine early	.25	.50			
rosea (florida)	.25	.40			
Eva Rathke	.25	.40			
venusta	.25				

						
WISTERIA frutescens	pkt. 1,	16 oz.	⅓ oz.	oz. .15	½ lb.	lb. 1.50
frutescens magnifica				.35	1.10	3.50
multijuga, blue				.25	.60	2.00
white				.30	.75	2.50
sinensis, blue, domestic, collected from garden plants				.20	.45	1.25
blue, imported				.15	.30	.95
white				.25	.60	2.00
XANTHOCERAS sorbifolia	.20			.75	1.80	6.00
XOLISMA, see Lyonia						
YUCCA baccata	.15		.25	.75		
brevifolia	.15		.25	.75		
filamentosa	.15			.25	.60	2.00
glauca (angustifolia)whipplei, see Hesperoyucca	.15			.25	.65	2.25
ZENOBIA pulverulenta, clean	.25	.50	1.50			
ZIZYPHUS jujuba				.20	.50	1.75

IV

SEEDS OF HARDY HERBACEOUS PERENNIALS

A special discount of 5% applies to all orders for Perennial seeds when additional seeds from Parts I to III are ordered.

Packets.—Generous packets are available of all items listed at 15 cents each unless priced otherwise

				-		
	Trad	_	1/16 oz .	1/2 07	1/4 07	oz.
ACHILLEA eupatorium (filipendula) Parker's Variety, fine showy species with large bronze yellow flower-heads,	pkt.					
2½ feet			\$.15	\$.30	\$.55	\$2.00
ACONITUM Fischeri Napellus bicolor			.15 .15	.30 .35	.55 .75	2.00 2.50
Blue			.15	.25	.40	1.25
Rose			.15	.35	.75	2.50
wilsoni			.25	.50	.90	2.80
ADONIS vernalis, Spring Adonis, bright yellow			.20	.30	.55	2.00
ANCHUSA italica Dropmore, gentian blueitalica Feltham Pride, new variety, more dwarf			.25	.15 .45	.20 .80	.60 2.40
italica Lissadel, clear blue			.20	.15	.25	.80
italica Opal, light blue					.35	1.00
myosotidiflora		.35	.65	1.20	2.00	6.50
ANEMONE patens nuttalli, native Pasque Flower			.20.	.30	1.00	
pulsatilla, Pasque Flower, lilac (type)			.15	.25	.45	1.50
Red,			.25	.40	.70	2.25
White			.25	.50	.90	2.85
AQUILEGIA—Columbines						
alpina			.20	.30	.50	1.75
california Hybrids, golden yellow with red spur			.15	.25	.45	1.50
canadensis, dwarf, compact variety, 2 feet			.15	.25	.45	1.50
canadensis Hybrids, shades of rose with yellow		.15	.25	.45		
chrysantha varieties, long-spurred. These are easier to grow and more drought resistant than the coerulea varieties.						
grandiflora alba, whitelong-spurred chrome yellow (type), much like			.15	.25	.45	1.50
longissima			.10	.25	.45	2.50
new long-spurred Hybrids, shades of yellow			.10	.25	.45	1.50
clematiflora, Clematis Flowered Spurrless Columbine	.40	.25	1.00			

		Trade				-	
AQUILEGIA coerule		pkt.	pkt.	1/16 oz.	1/8 oz.	1/4 oz.	OZ.
	es, long-spurred. These represent the						
	varieties of Columbine, developed so far.						
	ver, are exacting as to conditions and						
	All do well in sheltered spots in moist						
	ned and prepared ground.						
	d Azure Fairy, pale blue and white	.50	.30				
" · "	Blue Shades, an excellent strain,						
	large flowers, plants 3-4 feet			.25	.45	.80	2.75
"	Coerulea, type, blue			.15	.25	.45	1.50
46 46	Copper Queen, copper red		.15	.30	.50	.90	3.00
46 66	Strawberry Red	.50	.30				
44 44	Lemon Queen (citrina)		.20	.35	.55	1.00	3.50
66 66	Mrs. M. Nicholls, blue, improved						
	coerulea		.20	.35	.60	1.10	4.00
**	Orange and Scarlet Shades		.15	.30	.50	.90	3.00
**	Pink Shades		.15	.30	.50	.90	3.00
"	Rose Queen, soft rose		.15	.30	.50	.90	3.00
"	Silver Queen, white			.15	.25	.45	1.50
"	Snow Queen (candidissima) finest						
	white, fragrant		.15	.30	.50	.90	3.00
**	Hybrids in color mixture:						
Dobbie's	Imperial Hybrids			.20	.35	.60	2.00
	Hybrids			.30	.50	.90	3.00
	tt Elliott's Strain			.30	.50	.90	3.00
	Franklin Special, a fine Californian						
	with colors possessed by no other strain.			.35	.65	1.20	3.50
	warf, rock garden variety, 10 inches high			1			
	vers and large attractive foliage forming			:			
	reen, very hardy and drought resistant.		.20	.30	.55	1.00	
	ora, deep blue, 1½ feet		.20	.35	.65	1.20	4.00
	eful species, yellow flowered with ex-						
	spurs. New England seed.						
	25 seeds, .25; 100 seeds, .75						
vulgaris varieties							
	Strain, the Columbine of grand-						
	en, seed offered is grown by us from an						
	strain of great vigor, hardiness and						
	s are 4 feet high, color combinations are:						
	ack, Lilac, Pink, Rose and White. Seed						
is easy to gen	minate and plants adapt themselves far						
better than th	e long-spurred Columbine's to a variety						
	and many growers and garden enthusi-						
asts who have	despaired growing Columbines because						
of their failure	e to make the long-spurred succeed will						
	Columbines when they find out how						
easy the vulga	ris varieties are. All colors			.15	.25	.45	1.50
	weiss, dwarf, compact variety, from						
Japan, wi	th white flowers		.15	.20	.30	.50	1.80
Little Red R	iding Hood, double, pure white under						
umbrella-	like old rose calyx		.20	.45	.85	1.60	6.00
nivea grandi	flora, fine snow white, robust variety			.15	.20	.35	1.00
Mixed colors	, imported seed				.15	.20	.50
Double flowe	red, mixed colors				.17	.25	.60
CAMPANULA persici	folia (2½ feet) alba, white			.25		.40	1.25
	2			.25		.35	1.00
Moerheimei.	fine semi-double white			.25	.45	.80	
Telham Beau	ty, soft lavender, a fine variety	.20		.30		1.00	
rotundifolia.	Scotch Blue Bells	_	.20	.35	.65		
CARYOPTERIS incar	na (mastacanthus) Blue Beard, blue		-		.20	.35	1.00
	pink		.25			.65	
	white		-		.20		1.00
CASSIA marilandica.	Indian Senna			.15	.20		1.00
,	94						

						
	Trade					
CHEID ANTHIE Allie-	pkt.	pkt.	1/16 oz.	1/8 oz.		oz.
CHEIRANTHUS allioni					.10 .10	.20 .30
CHRYSANTHEMUM leucanthemum grandiflorum,					.10	.50
Spring Marguerite				.15	.20	.50
maximum, Conqueror, Early giant Flowering, 21/2 to 3 feet	t			.10	.20	.50
Diener's Giant Double, white, 2½ feet		.20	.35	.65	1.20	3.50
Elder Daisy, very early				.10	.20	.50
Mrs. C. Lowthian Bell, large flowers, long stems,				20	20	1 00
3 feet				.20	.30 .25	1.00 .85
" Avalanche, fine dwarf variety, 2 feet,				.13	.23	.03
large white flowers and stout stems.				.15	.25	.75
" Chiffon, 18 inches, pure white flowers						
to 3 inches across with double row						
of fringed and curled petals			.15	.20	.35	1.25
westrand, o leet			.15	.20	.30	1.00
Vanderbilt Hybrids, vigorous large flowered strain			15		25	1 05
to 4 feet			.15 .15	.20 .25	.35 .45	1.25 1.50
integrifolia			.15	.30	.95	3.00
recta, to 3 feet			.13	.20	.30	1.00
recta mandshurica, taller to 6 feet			.15	.25	.45	1.50
COLCHICUM autumnale			•		.15	.50
CORYDALIS cheilanthifolia, perennial Fernleaf Corydalis	1					
with bright yellow flowers.						
100 seeds, .20; 1000 seeds, .50)					
CYCLAMEN europaeum roseum100 seeds, .35				1.00		
neapolitanum (hederaefolium)	•			.65		
Belladonna light blue				.20	.35	1.25
Belladonna Improved (Cliveden Beauty)			.15	.25	.45	1.50
Bellamosum Improved, dark blue			.15	.25	.45	1.50
Blue Grotto, deep blue with cream center, one of our						
most beautiful Delphiniums			.30	.50	.90	3.00
Lamartine, gentian blue			.30	.50	.90	3.00
Chinense grandiflorum album, white				.15	.25	.75
grandiflorum azureum, blue				.15	.25	.75
Azure Fairy, azure blue, dwarf, 20 inches			.20	.20 .35	.35 .60	1.00 2.00
Lilacina, lilac			.20		.35	1.00
elatum, Hybrid Strains:					.50	2.00
Blackmore & Langdon, all colors			.20	.35	.65	2.00
Dwarf Continental Hybrids, a fine strain developed						
in years of endeavor for clean colors, mildew and						
wind-resistance by a noted specialist in Contin-						
ental Europe. We have made a dwarf selection						
as we feel the want for a low race suitable for drifts						
in perennial borders before tall Delphiniums and for cutting. Plants are 2-3 feet high. Domestic						
seed		.15	.30	.50	.95	3.00
Gold Medal Hybridsper lb., 7.50		.13	.50	.20	.35	1.20
Wrexham Hollyhock strain, all colors		.25	.40	.75	1.40	5.00
Art Shades		.25		.85	1.60	5.75
Deep Blue Shades		.25	.45	.85	1.60	5.75
Light Blue Shades		.25		.85	1.60	5.75
Mid-Blue Shades		.25	.45	85	1.60	5.75
DELPHINIUM White Hybrids:			0.5		1.00	2 50
IcebergSummer Cloud			.25 .35	.65 .65	1.20 1.20	3.50 3.50
DELPHINIUM New Giant Pacific Hybrids, a remarkable			.33	co.	1.20	3.30
new strain of Delphiniums with tall wiry stems and						
large closely set flowers.						
Blue Shades		.50	.90	1.75	3.50	
Light Shades		.50	.90	1.75	3.50	
35						

						
DELPHINIUM New Giant Pacific Hybrids	Trade	nl-4	1/6 oz.	1/	1/. ~-	~~
Pastel Shades		.50			3.50	OZ.
Violet Shades		.50	.90	1.75	3.50	
Double White, the best white strain available		.55	1.00	2.00	3.95	2
Mixed Shades		.45		1.50	3.00	
DELPHINIUM species, offered for experimental work:						
cardinale, Scarlet Larkspur			.20	.35	.60	2.00
cashmerianum, to 1½ feet, dark blue with Monk's-hood						
like flowers, most beautiful species			.20	.35	1.00	
caucasicum, close to elatum, to 6 feet			.20	.35	.70	2.50
nudicaule, Red Larkspur, parent species of the new pink						
flowered Hybrids			.20	.35	.65	2.00
nudicaule, chamois		.20	.30	.55	1.00	
nudicaule, Lemon Queen		.25	.40	.75		
scopulorum, Rock Larkspur, a native Delphinium from	1					
the South-West. Most resistant of all our Delphiniums	3					
against wind break and drought, also remarkable for						
its early repetition, flowering in June and again in	L					
early August. Should prove a valuable parent plant	;					
in hybridization		.20	.30	.50	.95	3.00
sulphureum (Zalil) yellow Larkspur		.30	.60	1.10	2.00	
DICENTRA eximia			.15	.25	.40	1.25
formosa, of better habit and with larger flowers than eximia			.25			
DICTAMNUS fraxinella, red				.20	.35	1.25
white				.20	.35	1.25
EREMURUS Desert-Candle, seed collected from garden						
varieties		.20	.30	.50	.90	2.75
EREMURUS, Separate species.						
All are25 seeds, .25; 100 seeds, .70; 1000 seeds, 2.00						
Prices for larger quantities gladly given upon request.						
altaicus						
bungei, yellow					.95	3.00
bungei perfectus, orange.						
bungei sulphureus, sulphur yellow						
Elwesianus, pink						
Olgae, colors: white, yellow, light orange salmon						4 50
robustus, pink					1.30	4.50
robustus superbus, rose						
tauricus						
ERIGERON, Azure Beauty, fine new double strain, very		15	20	42	90	2 50
floriferous, 2½ feet		.15	.30	.45	.80	2.50
GAILLARDIA grandiflora		.20	.30	.50	.90	
Goblin, remarkable dwarf strain of compact habit, to		15	95	AE	οΛ	2.50
10 inches high, extremely floriferous		.15	.25	.45	.80	2.50
Mr. Sherbrook, full circular flower, clear golden yellow with full yellow centre, everblooming		.15	.25	.45	.80	2.50
GYPSOPHILA oldhami		.13	.23	.15	.45	1.50
HELIANTHEMUM mutabile				.15	.25	.75
HELLEBORUS niger, Christmas Rose		.15		.13	.25	.75
hybrids (niger x orientalis) in various colors		.13	.15	.25	.45	1.50
HEUCHERA, Coral Bells			.10	.23	.43	1.50
Rosamundi, fine rose, sturdy variety, the best in our						
opinion		.20	.35	1.25		
Splendens, vermilion		.15	.35	1.00	1.75	
Hybrids, mixed		.15	.30	.70	1.20	
HIBISCUS Mallow Marvels, all colors		.13	.50		.15	.40
Crimson Eye, white with red eye					.20	.60
Red					.20	.60
Rose					.20	.60
LEWESIA rediviva		.20	.50	1.00	2.00	
LILIUM auratum			.15	.25	.40	1.20
auratum platyphyllum			.20	.30	.45	1.35
Backhouse Hybrids	.45	.20	,			
candidum	. 10		.20	.30	.50	1.50
			.20		.00	

	Trade				-	
LILIUM (continued)			1/6 oz.	1/8 oz.	1/4 oz.	oz.
candidum salonicum	.45	.20	1.00			
centifolium	.45	.20				
dalmaticum Hybrids, to 6 feet, rose and purple shades.	.45	.20				
henryi			.15	.25	.75	
longiflorum praecox, White Queen	.50	.30				
martagon			.15	.25	.75	2.15
martagon album	. 2 0		.30	.50		
monadelphum szovitzianum, beautiful yellow Turk's						
Cap Lily		.35		0"	40	1 00
philippinense formosanum			.15	.25	.40	1.00
white flowered		25	.20	.35	.65	2.00
philippinense formesanum, early variety		.3 5			.15	.40
regaleregale Hybrids:					.13	.40
Pride of Charlotte (regale x Sargentiae)		.35				
Princeps (regale x Sargentiae)	.30	.20	. 55	1.00		
Shelburne Hybrids (regale x Sargentiae)		.20	.35	.70	1.25	
Sulphur-Gale (sulphureum x regale)	.45	.30	.55	.,,	1.20	
superbum	.40	.50		.15	.25	.75
tenuifolium				.15	.25	.75
tenuifolium, Golden Gleam		.20	.35	.65		•••
Willmottiae		.20	.35	.75		
LILIUM, New Chinese introductions:						
browni cochesteri, to 6 feet, flowers large, trumpets of						
creamy white		.30				
cathayanum, hosta-like leaves, tall flower stalks with						
5-12 pure white tubular flowers, to 8 inches long		.30				
speciosum gloriosoides, to 4 feet, flowers pure white,						
spreading, on long stalks, tinted rose-pink and bearing						
protuberant purple spots, petals strongly reflexed		.30				
tsingtauense, 2 feet, a remarkable Lily, blooming in						
July, leaves in whorls, flowers star-like in upright						
panicles, rich orange, spotted purple		.30				
LOBELIA cardinalis, seed requires exposure to temperatures						
near freezing			.20	.40	.75	2.25
LUPINUS polyphyllus. Lupins prefer a cool, deep soil. Our	•					
best plants grow in black sandy loam in a location that						
is actually wet during the spring months. The follow-						
ing fine garden varieties, European grown, are offered.						
These grown from seed will come about 50 per cent true						1 00
Blue King, very long and elegant spikes of intense blue				.20	.35	1.00
Brightest and Best, bright red on long spikes				.20	.35	1.00
Chocolate Soldier		.15	.20	.40	.70	2.00
Cross Roads, shell pink			.15	.20	.35	1.00
Gold Crest, yellow with wings of deeper color			.15	.25	.35	1.00
Kingdom, buff with yellow and distinct orange flag			.15	.25	.35 .3 5	1.00
Moerheimi, rose and white, compact habit Perfection, broad flowers, white, in full bloom faintly,			.15	.25	.35	1.00
			.15	.25	.40	1.20
rose-tinged			.15	.25	.35	1.00
LUPINUS polyphyllus, color varieties:			.13	.23	.55	1.00
Deep blue					.15	.25
Bright pink.					.25	.80
Select rose				.15	.20	.60
Pure white				.13	.15	.25
Yellow, in various shades				.15	.25	.80
Autumn tints, buff and orange shades				.15	.25	.80
New England seed, blend of blue, white and rose shades.				.15	.20	.50
Harkness Regal Hybrids, color blend				.15	.20	.50
Six Hills, scented, sweet scented in color blend				.15	.20	.50
Russel Strain, the newest development in Lupinus Hybrids	3.					
compact spikes with broad built flowers in a great						
variety of colors			.25	.35	.85	2.50
OFF						

	Trade		17	1/	1/	
MYOSOTIS palustris semperflorens, Perennial Ever-	pkt. I	pĸt.	-∕16 OZ.	⅓ 8 02 .	-/₄ oz.	02
Blooming Forgetmenot			.15	.25	.45	1.
ANSIES. Special Formula Mixture, of Swiss Giants		.30	.65	1.10	2.00	7.
Roggli's Giant Alpenglow, cardinal shades		.20	.40	.75	1.40	5.
" Berna, dark violet blue		.20	.40	.75	1.35	4.
" Blue (Ullswater)		.20	.40	.75	1.35	4.
" Luna, sulphur yellow self		.25	.50	.90	1.75	6.
" Rheingold, yellow with blotch		.20	.40	.75	1.35	4.
" Swiss White, pure white		.25	.45	.80	1.50	5.
Super Swiss Giants (Roggli) Superb Mixed		.20	.40	.75	1.45	5.
Swiss Giants, fine mixed		.20	.35	.65	1.25	4
Dwarf Swiss Giants, choice mixed		.20	.40	.75	1.45	5.
America, Special Florists' Strain, mixed		.25	.45	.80	1.50	5.
Englemann's Giant, all flowers are five blotched		.30	.65	1.10	2.00	7.
Maple Leaved Giants, mixed		.25	.45	.80	1.50	5.
APAVER amurense Amur Poppy, new longest stemmed		.23	.43	.00	1.50	3,
(to 3 feet), and largest flowered yellow Iceland Poppy,						
			25	40	70	•
free blooming			.25	.45	.70	2
nudicaule Iceland Poppy;			-		-	
Apricot			.20	.35	.60	1
Coonara Pinks, rose tints (true strain)			.15	.25	.40	1
El Monte, deep tangerine orange			.15	.25	.40	1
Fakenham Hybrids, mixed, very fine			.15	.25	.40	1
Gratref Strain, Art Shades and Picoted edges			.15	.30	.50	1
The Empress, salmon rose shades			.20	.35	.60	2
The Emperor, large orange			.20	.35	.60	2
Sanford's Giant Mixed, special strain			.15	.30	.50	1
Sunbeam Mixture, fine mixture			.15	.20	.35	1
Fine mixed					.25	
LATYCODON grandiflorum, blue				.15	.20	
White				.15	.20	
mariesi, dwarf blue			.15	.25	.50	1
praecox grandiflora gigantea, early giant flowered						
strain, blue			.20	.35	.60	2
HYSALIS franchetti, Lantern Plantper lb., 4.50			,		.15	
OLEMONIUM coeruleum, large flowered, blue				.10	.15	
White					.15	
pulcherrimum, fine hardy native, from Northern Rockies,					.13	
one foot high with blue flowers		.20	co			
		.20	.60	25	-	
reptans			.20	.35	.60	
Richardsoni, blue				.10	.20	
OTENTILLA nepalensis, mixed colors				.30	.50	1
Miss Willmot				.15	.25	
Roxana, coral red			.25	.35	.55	1
recta, hardy and drought resistant, of bushy habit,						
smothered with yellow flowers			.20	.35	.60	
RIMULA acaulis (vulgaris) English Primrose, yellow			.25	.40	.75	2
White	.35		.65	1.20	2.00	
Large Flowered, mixed	.35		.65	1.20	2.00	
Select Large Flowered	.50	.25	.95			
Pure Yellow	.75	.30				
auricula, choice mixed		.20	.35	.65	1.20	
denticulata, early flowering, very choice with globular				1		
heads of a pleasant blue shade	.50	.35	1.00	1.80	3.00	
White	.50	.35	1.00	1.80	3.00	
japonica type (violett)	.20	. 55	.30	.50	.95	3
Deep Crimson			.25			2
	.20			.50	.90	
Mixed Colors	.20		.25	.50	.90	2
officinalis (Cowslip) yellow			.25	.35	.60	1
Red			.25	.35	.60	1
pulverulenta, carmine purple flowers on tall stems	.30		.45	.80	1.50	
veris elatior, the wild Polyanthus, sulphur yellow, very						
charming			.25	.45	.85	2
90						

A special discount of 5% applies to all orders for Perennial seeds when additional seeds from Part I to III are ordered.

	Trad	e					
	pkt.	pkt.	1/16 OZ.	1/8 oz.	1/4 oz.	oz.	
PRIMULA (continued)							
veris elatior, cultivated varieties:							
Blue	.50	.30	1.00	1.80			
Golden Yellow			.25	.45	.85	2.50	
Gold Laced			.25	.45	.85	2.50	
Primrose			.25	.45	.85	2.50	
Pure White			.25	.45	.85	2.50	
Red Shades			.30	.50	.90	2.75	
Dark Blood Red	.50	.30	1.00	1.80			
Giant Mumstead, light shade			.25	.45	.85	2.50	
Large flowered mixture			.20	.30	.50	1.50	
Primula acaulis, officinalis and veris elatior va-							
rieties are perfectly hardy here without protection as							
long as they are planted in an Eastern and Northern							
exposure and guarded against severe drought.							
PYRETHRUM roseum, Painted Lady, choice mixed			.20	.30	.50	1.50	
ROMNEYA coulteri, Matilija Poppy, striking plant with							
glaucous foliage and large white Poppy flowers		.25			.65	2.00	
SCABIOSA caucasica, blue			.15	.30	.50	1.50	
White			.15	.30	.50	1.50	
Goldingensis, fine light blue			.25	.45			
Isaac House strain			.25	.45	.80	2.50	
THERMOPSIS caroliniana			.15	.20	.50	1.50	
THALICTRUM dipterocarpum			.15	.25	.40	1.25	
White			.15	.25	.45	1.50	
TROLLIUS, Earliest of All		.20	.35	.65	1.20	3.50	
europaeus		.15	.30	.45	.80	2.50	
caucasicus, Orange Globe		.20	.35	.65	1.20	4.00	
Giant Devonshire, exquisite novelty, orange blooms to		~=					
3 inches across on tall stems	.50	.35	2.00		1 00	4.00	
Fire Globe, dark orange			.35	.65	1.20	4.00	
Ledebouri, Golden Queen		.20	.45	.80	1.50	5.00	
Mixed varieties		.15	.20	.35	.60	2.00	
VIOLA Apricot		.20	.30	.55	1.00	3.00	
Arkwright Ruby, choice shades of Mahogany and Terra-							
cotta		.20	. 35	.75	1.40	4.25	
Blue Perfection			.15	.25	.45	1.50	
Chantreyland		.20	.35	.65	1.25	4.75	
Ilona, deep purple		.15	.20	.35	.60	2.00	
Lord Nelson, ever-blooming, dark purple		.15	.25	.40	.75	2.50	
Primrose Dame		.15	.20	.35	.60	2.00	
White Perfection			.15	.25	.45	1.50	
W. H. Woodgate, long stemmed amethyst blue	.50	.30					
Yellow Perfection			.15	.25	.45	1.50	
VIOLA odorata (sweet scented), true Violets							
Perpetual Flowering, blue			.15	.25	.45	1.50	
White			.15	.30	.50	1.75	
The Czar, large flowered, dark blue			.15	.30	.50	1.75	
Red			.15	.30	.50	1.75	
priceana, our finest white-flowered native Violet, a pro-							
fusion of large flowers on long stems		.15	.40		1.25		
VIOLA, the new Violettas, miniature Violas, flowers are small							
perfectly shaped, each with distinct yellow-eye,							
sweetly scented and show a range of color unknown							
before in violas. Plants form compact cushions of							
green, studded with flowers on short, wiry stems.							
Violettas are the result of thirty years' breeding by a							
devoted English plantsman. This new strain will							
prove ideal for beds, edging and rock gardens	1.00	.35					
20							

BOOKS

THE GARDENER'S OMNIBUS. Edited by E. I. FARRINGTON. Published under auspices of the Massachusetts Horticultural Society. 39 Books—a complete garden library in one volume—make up the most usable garden book ever published.

THE MODERN NURSERY. By Alex Laurie and L. C. Chadwick. 224 pages, 49 illustrations, 21 tables. A reference book for nurserymen describing general nursery management and cultural practices, the different methods of propagation of woody plants and herbaceous perennials. The intricate subject of after-ripening of seed is fully covered. No nurseryman should be without the book, \$5.00

Book prices are postpaid in U. S. A. Terms cash with order.

SEND ORDERS TO

F. W. SCHUMACHER

579 Centre Street Jamaica Plain, Boston, Mass. P. O. Box 131
Telephone ENDicott 1850 Cable Address, Treeseeds, Boston